

# **Safety Data Sheet**

Issue Date: 09-Jan-2012 Revision Date: 15-Sep-2016 Version 1

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Slide Regular Silicone Mold Release

Other means of identification

**SDS #** 40112N-CA

Product Code 40112N Synonyms None UN/ID No UN1950

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold release

Uses Advised Against

Use only under manufacturer's instructions

Details of the supplier of the safety data sheet

Initial Supplier AddressManufacturer AddressTHIS SAFETY DATA SHEETSlide Products Inc.IS NOT COMPLIANT UNLESS430 S. Wheeling RoadCANADIAN ADDRESS IS USEDWheeling, IL 60090

**Emergency Telephone Number** 

Initial supplier phone number Pleas Emergency Telephone (24 hr) INFO

Please enter Initial Suppliers Phone Number here INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Cream-colored, oily liquid Physical state Aerosol. Odour Sweet, Ether

Classification

Flammable Aerosols	Category 2
Gases under pressure	Compressed Gas

#### **Label Elements**

Signal word Warning

#### **Hazard statements**

Flammable Aerosol

Contains gas under pressure; may explode if heated



#### **Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

## **Precautionary Statements - Storage**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F Store in a well-ventilated place

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Chemical Name	CAS No	Weight-%	Hazardous Material	Date HMIRA filed and
			Information Review Act	date exemption
			registry number	granted (if applicable)
			(HMIRA registry #)	
Dimethyl ether	115-10-6	47	-	-
1,1,1,2-Tetrafluoroethane	811-97-2	47	-	-
Polydimethylsiloxane	63148-62-9	6	-	-

# 4. FIRST AID MEASURES

#### First Aid Measures

**General advice** When symptoms persist or in all cases of doubt seek medical advice.

**Eye contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a doctor.

Skin contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

oxygen should be administered by qualified personnel.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects

Symptoms Causes asphyxiation in high concentrations. When heated, mists of this product may irritate

nasal passages. If product is sprayed directly on skin, symptoms of frostbite may be

experienced including numbness, prickling, and itching. This product has laxative properties

and may result in abdominal cramps and diarrhea.

#### Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

EN / HGHS Page 2/8

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media None known.

Specific hazards arising from the

chemical

Extremely flammable. Pressurised container: May burst if heated. Heat may cause the

Revision Date: 15-Sep-2016

containers to explode. Combustion products may be toxic.

**Hazardous Combustion Products** Carbon oxides. Formaldehyde. Hydrogen fluoride. Fluorine compounds.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Move containers from fire area if you can do it without risk. Cool containers exposed to fire with water. Do not allow run-off from firefighting to enter drains or water courses.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Refer to protective measures listed in

sections 7 and 8. Keep people away from and upwind of spill/leak. Ventilate affected area.

Remove all sources of ignition.

Environmental precautions

**Environmental precautions** Do not allow material to contaminate ground water system. Prevent product from entering

drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use only non-sparking tools. Use a non-combustible material like vermiculite, sand or earth

to soak up the product and place into a container for later disposal. For waste disposal, see

section 13 of the SDS.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling**Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only in well-ventilated areas. Use personal protection recommended in Section 8. Do not breathe vapors or spray mist. Avoid contact with skin and eyes. Wash thoroughly after handling. Empty containers may contain

flammable vapors/residue.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Do not expose to temperatures exceeding 50 °C/122°F. Keep away from heat. Inspect

containers periodically for defects. Protect container from physical damage.

EN / HGHS Page 3/8

\_\_\_\_\_

Incompatible Materials Bases Acids Alkali metals

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Dimethyl ether 115-10-6		TWA: 1000 ppm		

## **Appropriate engineering controls**

**Engineering controls** Local exhaust ventilation recommended. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear splash proof or dust proof safety goggles wherever there is a potential for eye

contact.

**Hand protection** Use impervious gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Do not breathe vapour or mist. Avoid contact with skin, eyes or clothing. Do not eat, drink or

smoke when using this product. Wash thoroughly after handling. Take off all contaminated

(concentrate)

Revision Date: 15-Sep-2016

clothing and wash before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Aerosol

Appearance Cream-colored, oily liquid

ColourCreamOdourSweet Ether

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Flash Point No information available No information available Evaporation Rate No information available Flammability (Solid, Gas) Flammable aerosol

Flammability Limits in Air

Upper Flammability Limits 25.0% Lower Flammability Limit 4.0%

Vapour PressureNo information availableVapour DensityNo information available

Relative Density 1.0

Water Solubility Partially soluble Solubility in other solvents Partially soluble Not determined

Partition Coefficient No information available

EN / HGHS Page 4/8

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Auto-ignition Temperature No information available

**Decomposition Temperature Kinematic Viscosity**Not determined

Not determined

Dynamic ViscosityNo information availableExplosive propertiesNo information available.Oxidising propertiesNo information available.

Other Information

Softening Point
Molecular weight
VOC Content (%)
Density
No information available

# 10. STABILITY AND REACTIVITY

**Reactivity** Not reactive under normal conditions.

**Chemical Stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerisation** Hazardous polymerisation does not occur.

Conditions to Avoid Avoid direct sunlight. Do not expose to temperatures exceeding 50 °C/122°F. Do not

puncture or incinerate cans.

Incompatible Materials Bases. Acids. Alkali metals.

Hazardous Decomposition Products Carbon oxides. Formaldehyde. Hydrogen fluoride. Fluorine compounds.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Eye contact** Avoid contact with eyes.

**Skin contact** Avoid contact with skin.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

**Acute Toxicity** 

Unknown acute toxicity No information available

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether	-	-	= 308.5 mg/L (Rat) 4 h
115-10-6			• , ,

EN / HGHS Page 5/8

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,1,1,2-Tetrafluoroethane 811-97-2	-	-	= 1500 g/m <sup>3</sup> ( Rat ) 4 h
Polydimethylsiloxane 63148-62-9	> 24 g/kg (Rat) > 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** An environmental hazard cannot be excluded in the event of unprofessional handling or

disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,1,1,2-Tetrafluoroethane 811-97-2	-	96 hour LC50-Rainbow Trout: 450 mg/L		48 hour EC50-Daphnia magna: 980 mg/L

Persistence/Degradability No information available.

**Bioaccumulation** No information available.

Mobility .

Chemical Name	Partition Coefficient		
Dimethyl ether	-0.18		
115-10-6			

Other Adverse Effects This product contains Norflurane. Norflurane may contribute to the greenhouse effect when

discharged into the atmosphere in large quantities. Norflurane has a 'Global Warming

Potential' (GWP) of 1300 over a 100 year time horizon.

## 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances Based on package size, product may be eligible for

limited quantity exception

TDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

EN / HGHS Page 6/8

**DOT** (each not exceeding 1 L capacity)

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

**IATA** 

**UN/ID No** UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

# 15. REGULATORY INFORMATION

## **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

#### **International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	X	X	X	Present	X	Present	X	X
1,1,1,2- Tetrafluoroethane	Х	X	Х	Present	X	Present	Х	Х
Polydimethylsiloxane	Х	Х			Х	Present	X	X

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

EN / HGHS Page 7/8

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA **Health Hazards Flammability Special Hazards** Instability Not determined Not determined Not determined Not determined **Health Hazards Flammability** Physical hazards **Personal Protection HMIS** Not determined Not determined Not determined Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

 Issue Date:
 09-Jan-2012

 Revision Date:
 15-Sep-2016

**Revision Note:** No information available.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

EN / HGHS Page 8/8