

Issue Date: 01-Sep-2012

Revision Date: 01-May-2018

Safety Data Sheet

Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

SDS # Product Code Product Name 42112N-EU 42112N SSL Mold Release

Synonyms

Slide SSL Mold Release Dimethylpolysiloxane Solution

Formula

Dimethylpolysiloxane Solution 53114

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use

Industrial mold release

1.3. Details of the Supplier of the Safety Data Sheet

Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090 USA

For further information, please contact

Contact Point Email Address

Slide Products: 1-847-541-7220 info@slideproducts.com

1.4. Emergency telephone number

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Regulation (EC) No 1272/2008

Flammable Aerosols

Category 2

Classification according to 67/548/EEC

Full text of R-phrases: see section 16

R-code(s) R10

-

2.2. Label Elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP].



Signal Word Warning

Hazard Statements

H223 - Flammable aerosol EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other Hazards

General Hazards

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Dimethyl ether	Present	115-10-6	55-65	F+; R12	Flam. Gas 1 (H220) Press. Gas (H280)	Not determined
1,1 difluoroethane	Present	75-37-6	20-40	F+; R12	Liq. Gas (H280) Flam. Gas 1 (H220)	Not determined
Polydimethylsiloxane	-	63148-62-9	1-10	Not classified	Not classified	Not determined

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Additional Information

Substances which do not meet the criteria for classification are included in order to provide full disclosure of the product

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Call a physician immediately.
Skin Contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

SymptomsInhalation symptoms may include dizziness and headache. Nausea. Concentrated spray
may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media

Not determined.

5.2. Special Hazards Arising from the Substance or Mixture

Aerosol flame projection test: 18" flame projection. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Hydrogen fluoride and other fluorine compounds.

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Remove leaking container to outside disposal site. Remove all sources of ignition.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Protect from direct sunlight.

7.3. Specific End Use(s)

Specific Use(s)

Industrial mold release and lubricant.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Threshold Limit Value: 1000 ppm.

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Dimethyl ether	TWA 1000 ppm	STEL: 500 ppm	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm
115-10-6	TWA 1920 mg/m ³	STEL: 958 mg/m ³	TWA: 1920 mg/m ³	TWA: 1920 mg/m ³	TWA: 1900 mg/m ³
		TWA: 400 ppm			Ceiling / Peak: 8000
		TWA: 766 mg/m ³			ppm
					Ceiling / Peak: 15200
					mg/m ³
Component	Italy	Portugal	Netherlands	Finland	Denmark
Dimethyl ether	TWA: 1000 ppm		STEL: 1500 mg/m ³	TWA: 1000 ppm	TWA: 1000 ppm
115-10-6 (55-65)	TWA: 1920 mg/m ³		TWA: 950 mg/m ³	TWA: 2000 mg/m ³	TWA: 1920 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
		TWA: 1000 ppm	TWA: 1000 mg/m ³	TWA: 200 ppm	TWA: 1000 ppm
Dimethyl ether	STEL 2000 ppm		TWA. TOOD mg/m	1117 <u>L</u> oo pp	
Dimethyl ether 115-10-6	STEL 3820 mg/m ³	TWA: 1910 mg/m ³	TWA. Toolo mg/m	TWA: 384 mg/m ³	TWA: 1920 mg/m ³
,			1 WA. 1000 mg/m		

8.2. Exposure Controls

Engineering Controls

Hand Protection

Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment Eve/Face Protection

Skin and Body Protection

Respiratory Protection

Proper eye care is needed in all industrial operations. Protective gloves are not required, but recommended. Suitable protective clothing. No protection is ordinarily required under normal conditions of use and with adequate

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	
Appearance	
Color	

Aerosol Clear, oily, colorless liquid Colorless

ventilation.

Odor Odor Threshold No odor Not determined

42112N-EU - SSL Mold Release

Property	Values	Remarks • Method
рН	Not determined	
Melting Point/Freezing Point	< -45 ℃ / <-50 ℉	
Boiling Point/Boiling Range	Not available	
Flash Point	Not applicable	
Evaporation Rate	Not available	
Flammability (Solid, Gas)	Flammable aerosol	
Flammability Limits in Air		
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not available	
Vapor Density	Not available	
Relative Density	0.81	(Water = 1)
Water Solubility	Not soluble	
Solubility(ies)	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
9.2. Other information		
Demeller		

Density

Weight per gallon: 6.79

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous Polymerization

Hazardous polymerization does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

High heat or open flames.

10.5. Incompatible Materials

Powdered or alkaline earth metals.

10.6. Hazardous Decomposition Products

Hydrogen fluoride and other fluorine compounds.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information

Eye Contact

Avoid contact with eyes.

42112N-EU - SSL Mold Release

Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.
The following values are calculated	d based on chapter 3.1 of the GHS document:
The following values are calculated Dermal LD50	d based on chapter 3.1 of the GHS document: 20,000.00
•	•
Dermal LD50	20,000.00

Component Information

Units

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether			= 308.5 mg/L (Rat)4 h
Polydimethylsiloxane	> 17 g/kg (Rat)	> 2 g/kg (Rabbit)	

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	None known based on information supplied.
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Symptoms	Please see section 4 of this SDS for symptoms.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

mg/L

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Chemical Name	Partition Coefficient
Dimethyl ether	-0.18

12.4. Mobility in Soil

Mobility

Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues / Unused	Disposal should be in accordance with applicable regional, national and local laws and
Products	regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances Based on package size, product may be eligible for limited quantity exception

IMDG 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols 2.1
<u>RID</u> 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols 2.1
ADR 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols 2.1
ICAO (air) 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols, flammable 2.1
IATA 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols, flammable 2.1

Section 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

International Inventories

TSCA	Listed
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-

AICS KECL

Legend

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R12 - Extremely flammable

R10 - Flammable

Full text of H-Statements referred to under sections 2 and 3

H220 - Extremely flammable gas H280 - Contains gas under pressure; may explode if heated

Classification Procedure

Calculation method

Issue Date:	01-Sep-2012
Revision Date:	01-May-2018
Revision Note:	New product name and classification

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Regulation (EU) No. 453/2010

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet