



## Section 1. Identification

**Product identifier** 42810RP-EN  
**Product Identity** Slide Quick RP Rust Preventive  
**Other means of identification** Slide Quick RP Rust Preventive

### Relevant identified uses of the substance or mixture and uses advised against

Industrial Rust Preventive

### Details of the supplier of the safety data sheet

**Company Name** Slide Products Inc.  
430 Wheeling Road  
Wheeling, IL 60090

**Initial Supplier Address** THIS SAFETY DATA SHEET IS NOT COMPLIANT UNLESS CANADIAN ADDRESS IS USED  
PLEASE CONTACT A CANADIAN SLIDE DISTRIBUTOR FOR THE FULLY COMPLIANT SDS FILE

**Emergency**  
**24 hour Emergency Telephone No.** Emergency Telephone INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)  
**Customer Service:** Phone: 1-847-541-7220  
Fax: 1-847-541-7986

## Section 2. Hazard(s) identification

### Classification of the substance or mixture

Extremely flammable gas.  
Contains gas under pressure; may explode if heated.  
Causes skin irritation.  
May cause cancer.  
May cause drowsiness or dizziness.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

## Label elements



## Danger

Extremely flammable gas.  
Contains gas under pressure; may explode if heated.  
Causes skin irritation.  
May cause drowsiness and dizziness.  
May cause cancer.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

**[Prevention]:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat, sparks, open flames, and other ignition sources - No smoking.  
Keep container tightly closed.  
Do not breathe dust, fume, mist, vapours or spray.  
Do not get in eyes, on skin, or on clothing.  
Wash thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Avoid release to the environment.  
Wear protective gloves, eye protection, and face protection.

**[Response]:**

IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF exposed or concerned: Get medical advice or attention.  
Call a POISON CENTER, doctor or physician if you feel unwell.  
Do NOT induce vomiting.  
If skin irritation occurs: Get medical attention.  
Take off contaminated clothing and wash it before reuse.  
Leaking gas fire - do not extinguish unless leak can be stopped safely.  
In case of leakage, eliminate all ignition sources.  
Collect spillage.



**[Storage]:**

Store in a well ventilated place. Keep container tightly closed.

Store in a well ventilated place. Keep cool.

Store locked up.

Protect from sunlight. Store in a well ventilated place.

**[Disposal]:**

Dispose of contents or container in accordance with local and national regulations.

**Section 3. Composition/information on ingredients**

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

| Ingredient/Chemical Designations  | Weight % | GHS Classification  | Notes |
|---|----------|---|-------|
| Heptane<br>CAS Number: 142-82-5<br>Synonyms: Heptane  | 45 - 70  | Flam. Liq. 2;H225<br>Asp. Tox. 1;H304<br>Skin Irrit. 2;H315<br>STOT SE 3;H336<br>Aquatic Acute 1;H400<br>Aquatic Chronic 1;H410 | ----  |
| Petroleum gases, liquefied<br>CAS Number: 68476-86-8<br>Synonyms: Petroleum gases, liquefied, sweetened   | 10 - 30  | Press. Gas;H280<br>Flam. Gas 1;H220   | ----  |
| Sulfonic acids, petroleum, calcium salts, overbased<br>CAS Number: 68783-96-0<br>Synonyms: Sulfonic acids, petroluem, calcium salts, and overbase | 7 - 13   | Aquatic Chronic 4;H413  | ----  |
| Petroleum distillates (naphtha)<br>CAS Number: 8002-05-9<br>Synonyms: PETROLEUM DISTILLATES, n.o.s.   | 3 - 7    | Carc. 1B;H350   | ----  |
| Lecithin<br>CAS Number: 8002-43-5<br>Synonyms: Lecithin   | 1 - 5    | Not Classified  | ----  |

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### Description of first aid measures

- General** In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.
- Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

**Overview** Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.  
Treat symptomatically. Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

**Inhalation** May cause drowsiness or dizziness.

**Skin** Causes skin irritation.

## Section 5. Fire-fighting measures

### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Do not breathe dust, fume, mist, vapours or spray.

Do not get in eyes, on skin, or on clothing.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### Environmental precautions

Do not allow spills to enter drains or waterways.

### Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

**Section 7. Handling and storage**

**Precautions for safe handling**

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]:

**Conditions for safe storage, including any incompatibilities**

Incompatible materials: Strong oxidizing agents and acids.

See section 2 for further details. - [Storage]:

**Specific end use(s)**

No available information

**Section 8. Exposure controls / personal protection**

**Control parameters**

**Exposure**

| CAS No.                   | Ingredient   | Source | Value                      |
|---------------------------|--|--------|----------------------------|
| 142-82-5                  | Heptane  | ACGIH  | TWA: 400 ppm STEL: 500 ppm |
| Alberta                   | 400 ppm TWA; 1640 mg/m <sup>3</sup> TWA 500 ppm STEL; 2050 mg/m <sup>3</sup> STEL                |        |                            |
| British Columbia          | 400 ppm TWA 500 ppm STEL   |        |                            |
| Manitoba                  | 400 ppm TWA (listed under Heptane, all isomers) 500 ppm STEL (listed under Heptane, all isomers) |        |                            |
| New Brunswick             | 400 ppm TWA; 1640 mg/m <sup>3</sup> TWA 500 ppm STEL; 2050 mg/m <sup>3</sup> STEL                |        |                            |
| Newfoundland and Labrador | 400 ppm TWA (listed under Heptane, all isomers) 500 ppm STEL (listed under Heptane, all isomers) |        |                            |
| Nova Scotia               | 400 ppm TWA (listed under Heptane, all isomers) 500 ppm STEL (listed under Heptane, all isomers) |        |                            |
| Northwest Territories     | 400 ppm TWA 500 ppm STEL   |        |                            |
| Nunavut                   | 400 ppm TWA 500 ppm STEL   |        |                            |
| Ontario                   | 400 ppm TWA 500 ppm STEL (listed under Heptane, all isomers)                                     |        |                            |
| Prince Edward Island      | 400 ppm TWA (listed under Heptane, all isomers) 500 ppm STEL (listed under Heptane, all isomers) |        |                            |
| Quebec                    | 400 ppm TWAEV; 1640 mg/m <sup>3</sup> TWAEV 500 ppm STEV; 2050 mg/m <sup>3</sup> STEV            |        |                            |



Safety Data Sheet  
Slide Quick RP Rust Preventive

SDS Revision Date: 02/06/2024

| CAS No.                   | Ingredient  | Source | Value                |
|---------------------------|---|--------|----------------------|
| Saskatchewan              | 400 ppm TWA 500 ppm STEL  |        |                      |
| Yukon                     | 400 ppm TWA; 1600 mg/m <sup>3</sup> TWA 500 ppm STEL; 2000 mg/m <sup>3</sup> STEL |        |                      |
| 8002-05-9                 | Petroleum distillates (naphtha)   | ACGIH  | No Established Limit |
| Alberta                   | No Established Limit  |        |                      |
| British Columbia          | No Established Limit  |        |                      |
| Manitoba                  | No Established Limit  |        |                      |
| New Brunswick             | No Established Limit  |        |                      |
| Newfoundland and Labrador | No Established Limit  |        |                      |
| Nova Scotia               | No Established Limit  |        |                      |
| Northwest Territories     | No Established Limit  |        |                      |
| Nunavut                   | No Established Limit  |        |                      |
| Ontario                   | No Established Limit  |        |                      |
| Prince Edward Island      | No Established Limit  |        |                      |
| Quebec                    | No Established Limit  |        |                      |
| Saskatchewan              | No Established Limit  |        |                      |
| Yukon                     | No Established Limit  |        |                      |
| 8002-43-5                 | Lecithin  | ACGIH  | No Established Limit |
| Alberta                   | No Established Limit  |        |                      |
| British Columbia          | No Established Limit  |        |                      |
| Manitoba                  | No Established Limit  |        |                      |
| New Brunswick             | No Established Limit  |        |                      |
| Newfoundland and Labrador | No Established Limit  |        |                      |
| Nova Scotia               | No Established Limit  |        |                      |
| Northwest Territories     | No Established Limit  |        |                      |
| Nunavut                   | No Established Limit  |        |                      |
| Ontario                   | No Established Limit  |        |                      |
| Prince Edward Island      | No Established Limit  |        |                      |



Safety Data Sheet  
Slide Quick RP Rust Preventive

SDS Revision Date: 02/06/2024

| CAS No.                   | Ingredient  | Source | Value                |
|---------------------------|---|--------|----------------------|
| Quebec                    | No Established Limit                                |        |                      |
| Saskatchewan              | No Established Limit                                |        |                      |
| Yukon                     | No Established Limit                                |        |                      |
| 68476-86-8                | Petroleum gases, liquefied                          | ACGIH  | No Established Limit |
| Alberta                   | No Established Limit                                |        |                      |
| British Columbia          | No Established Limit                                |        |                      |
| Manitoba                  | No Established Limit                                |        |                      |
| New Brunswick             | No Established Limit                                |        |                      |
| Newfoundland and Labrador | No Established Limit                                |        |                      |
| Nova Scotia               | No Established Limit                                |        |                      |
| Northwest Territories     | No Established Limit                                |        |                      |
| Nunavut                   | No Established Limit                                |        |                      |
| Ontario                   | No Established Limit                                |        |                      |
| Prince Edward Island      | No Established Limit                                |        |                      |
| Quebec                    | No Established Limit                                |        |                      |
| Saskatchewan              | No Established Limit                                |        |                      |
| Yukon                     | No Established Limit                                |        |                      |
| 68783-96-0                | Sulfonic acids, petroleum, calcium salts, overbased | ACGIH  | No Established Limit |
| Alberta                   | No Established Limit                                |        |                      |
| British Columbia          | No Established Limit                                |        |                      |
| Manitoba                  | No Established Limit                                |        |                      |
| New Brunswick             | No Established Limit                                |        |                      |
| Newfoundland and Labrador | No Established Limit                                |        |                      |
| Nova Scotia               | No Established Limit                                |        |                      |
| Northwest Territories     | No Established Limit                                |        |                      |
| Nunavut                   | No Established Limit                                |        |                      |
| Ontario                   | No Established Limit                                |        |                      |





Safety Data Sheet  
Slide Quick RP Rust Preventive

SDS Revision Date: 02/06/2024

| CAS No.              | Ingredient           | Source | Value |
|----------------------|----------------------|--------|-------|
| Prince Edward Island | No Established Limit |        |       |
| Quebec               | No Established Limit |        |       |
| Saskatchewan         | No Established Limit |        |       |
| Yukon                | No Established Limit |        |       |

**Exposure controls**

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Avoid skin contact. Protective gloves recommended.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.

**Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

**Section 9. Physical and chemical properties**

|  |  |
|--|--|
| <b>Appearance</b>                                      | No available information Pressurized aerosol dispensed as a mist.  |
| <b>Odour</b>   | No available information   |
| <b>Odour threshold</b>                                 | No available information   |
| <b>pH</b>  | No available information   |
| <b>Melting point / freezing point</b>                  | No available information   |
| <b>Initial boiling point and boiling range</b>         | No available information   |
| <b>Flash Point</b>                                     | Not determined   |
| <b>Evaporation rate (Ether = 1)</b>                    | No available information   |
| <b>Flammability (solid, gas)</b>                       | Gas  |
| <b>Upper/lower flammability or explosive limits</b>    | <b>Lower Explosive Limit:</b> No available information<br><b>Upper Explosive Limit:</b> No available information |
| <b>Vapour pressure (Pa)</b>                            | No available information   |
| <b>Vapour Density</b>                                  | No available information   |
| <b>Relative Density</b>                                | No available information   |
| <b>Solubility in Water</b>                             | No available information   |
| <b>Partition coefficient n-octanol/water (Log Kow)</b> | No available information   |
| <b>Auto-ignition temperature</b>                       | No available information   |
| <b>Decomposition temperature</b>                       | No available information   |
| <b>Viscosity (cSt)</b>                                 | No available information   |
| <b>Oxidising properties</b>                            | No available information   |
| <b>Explosive properties</b>                            | No available information   |

**Other information**

No other relevant information.

**Section 10. Stability and reactivity**

**Reactivity**

Hazardous Polymerization will not occur.

**Chemical stability**

Stable under normal circumstances.

**Possibility of hazardous reactions**

No available information

**Conditions to avoid**

Excessive heat and open flame.

**Incompatible materials**

Strong oxidizing agents and acids.

**Hazardous decomposition products**

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

**Section 11. Toxicological information**

**Acute toxicity**

Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient           | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation vapour LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|----------------------|------------------|------------------|----------------------------------|-------------------------------------|--------------------------|
| Heptane - (142-82-5) | {calcoral}       | {CalcDerm}       | {CalclnhV}                       | {CalclnhDM}                         | {CalclnhG}               |



**Safety Data Sheet**  
**Slide Quick RP Rust Preventive**

**SDS Revision Date: 02/06/2024**

| Ingredient   | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation vapour LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|------------------|------------------|----------------------------------|-------------------------------------|--------------------------|
| Petroleum gases, liquefied - (68476-86-8)                          | {calcoral}       | {CalcDerm}       | {CalclnhV}                       | {CalclnhDM}                         | {CalclnhG}               |
| Sulfonic acids, petroleum, calcium salts, overbased - (68783-96-0) | {calcoral}       | {CalcDerm}       | {CalclnhV}                       | {CalclnhDM}                         | {CalclnhG}               |
| Petroleum distillates (naphtha) - (8002-05-9)                      | {calcoral}       | {CalcDerm}       | {CalclnhV}                       | {CalclnhDM}                         | {CalclnhG}               |
| Lecithin - (8002-43-5)   | {calcoral}       | {CalcDerm}       | {CalclnhV}                       | {CalclnhDM}                         | {CalclnhG}               |

**Carcinogen Data**

| CAS No.             | Ingredient  | Source | Value   |
|---------------------|---|--------|---|
| 142-82-5<br>ACGIH   | Heptane<br>No Established Limit   | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 8002-05-9<br>ACGIH  | Petroleum distillates (naphtha)<br>No Established Limit                     | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No; |
| 8002-43-5<br>ACGIH  | Lecithin<br>No Established Limit  | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 68476-86-8<br>ACGIH | Petroleum gases, liquefied<br>No Established Limit                          | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 68783-96-0<br>ACGIH | Sulfonic acids, petroleum, calcium salts, overbased<br>No Established Limit | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |

| Classification                | Category | Hazard Description                 |
|-------------------------------|----------|------------------------------------|
| Acute toxicity (oral)         | ---      | Not Applicable                     |
| Acute toxicity (dermal)       | ---      | Not Applicable                     |
| Acute toxicity (inhalation)   | ---      | Not Applicable                     |
| Skin corrosion/irritation     | 2        | Causes skin irritation.            |
| Serious eye damage/irritation | ---      | Not Applicable                     |
| Respiratory sensitization     | ---      | Not Applicable                     |
| Skin sensitization            | ---      | Not Applicable                     |
| Germ cell mutagenicity        | ---      | Not Applicable                     |
| Carcinogenicity               | 1B       | May cause cancer.                  |
| Reproductive toxicity         | ---      | Not Applicable                     |
| STOT-single exposure          | 3        | May cause drowsiness or dizziness. |
| STOT-single exposure          | ---      | Not Applicable                     |



Safety Data Sheet  
Slide Quick RP Rust Preventive

SDS Revision Date: 02/06/2024

|                        |     |                |
|------------------------|-----|----------------|
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard      | --- | Not Applicable |

Possible routes of entry:

**Symptoms and effects, both acute and delayed::**

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

Treat symptomatically.

**Inhalation**                      May cause drowsiness or dizziness.

**Skin**                                Causes skin irritation.

**Section 12. Ecological information**

**Toxicity**

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

**Aquatic Ecotoxicity**

| Ingredient   | 96 hr LC50 fish, mg/L | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L |
|--|-----------------------|----------------------------|-------------------|
| Heptane - (142-82-5)   | {CalcFish}            | {CalcCrust}                | {CalcAlgae}       |
| Petroleum gases, liquefied - (68476-86-8)                          | {CalcFish}            | {CalcCrust}                | {CalcAlgae}       |
| Sulfonic acids, petroleum, calcium salts, overbased - (68783-96-0) | {CalcFish}            | {CalcCrust}                | {CalcAlgae}       |
| Petroleum distillates (naphtha) - (8002-05-9)                      | {CalcFish}            | {CalcCrust}                | {CalcAlgae}       |
| Lecithin - (8002-43-5)   | {CalcFish}            | {CalcCrust}                | {CalcAlgae}       |

**Persistence and degradability**

There is no data available on the preparation itself.

**Bioaccumulative potential**

No available information

**Mobility in soil**

No available information

**Results of PBT and vPvB assessment**

This product contains no PBT/vPvB chemicals.

**Other adverse effects**

No available information

**Section 13. Disposal considerations**

**Waste treatment methods**

Observe all federal, provincial and local regulations when disposing of this substance.

**Section 14. Transport information**

When shipped in containers of 0.3 gallons (1 L) or less this material may be reclassified in accordance with DOT regulations 49 CFR 173.150 / IATA DGR packing instruction Y341/ IMDG Code 3.4 as: Limited Quantity.

Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations.

|                                   | <b>TDG (Domestic Surface Transportation)</b>                     | <b>IMO / IMDG (Ocean Transportation)</b>                         | <b>ICAO/IATA</b>   |
|-----------------------------------|--|--|--|
| <b>UN number</b>                  | UN1950   | UN1950   | UN1950   |
| <b>UN proper shipping name</b>    | UN1950,Aerosols  | Aerosols, Flammable, (each not exceeding 1 L capacity) (Heptane) | Aerosols, Flammable, (each not exceeding 1 L capacity) (Heptane) |
| <b>Transport hazard class(es)</b> | <b>TDG Hazard Class:</b> 2.1<br><b>Sub Class:</b> Not Applicable | <b>IMDG:</b> 2.1<br><b>Sub Class:</b> Not Applicable             | <b>Air Class:</b> 2.1<br><b>Sub Class:</b> Not Applicable        |
| <b>Packing group</b>              | Not Applicable   | Not Applicable   | Not Applicable   |

**Environmental hazards**

Marine Pollutant: Yes; ( Heptane )

**Special precautions for user**

No available information

**Section 15. Regulatory information**

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

**Canadian Domestic Substance List (DSL):**

Heptane

Lecithin

Petroleum distillates (naphtha)

Petroleum gases, liquefied

Sulfonic acids, petroleum, calcium salts, overbased

**Canadian Non-Domestic Substance List (NDSL):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.





**Section 16. Other information**

|                    |   |                                       |                                      |  |
|--------------------|---|---------------------------------------|--------------------------------------|--|
| <b><u>NFPA</u></b> | <b>Health Hazards</b><br>Not determined | <b>Flammability</b><br>Not determined | <b>Instability</b><br>Not determined | <b>Special Hazards</b><br>Not determined |
| <b><u>HMIS</u></b> | <b>Health Hazards</b><br>2              | <b>Flammability</b><br>4              | <b>Physical Hazards</b><br>0         | <b>Personal Protection</b><br>B          |

**SDS Revision Date** 02/06/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.

Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness and dizziness.

H350 May cause cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

**End of Document**