

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 01-Jan-2015 Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

SDS # 44812E-EU **Product Code** 44812E

Product Name Slide Quick Lecithin MR

Formula 54572

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Industrial mold release

1.3. Details of the Supplier of the Safety Data Sheet

Supplier

Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

For further information, please contact

Contact Point Slide Products: 1-847-541-7220 Email Address info@slideproducts.com

1.4. Emergency telephone number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Chronic aquatic toxicity	Category 3
Flammable Aerosols	Category 2

Classification according to 67/548/EEC

Full text of R-phrases: see section 16

Hazard Symbols

T - Toxic

R-code(s)

Repr. cat. 2;R60 - Repr. cat. 3;R63 - Xn;R48/20 - Xi;R36/37/38 - R67; R10

2.2. Label Elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP].



Signal Word

Danger

Hazard Statements

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H360 May damage fertility or the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H412 Harmful to aquatic life with long lasting effects
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H229 Pressurized container: May burst if heated
- H223 Flammable aerosol
- EUH210 Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

- P201 Obtain special instructions before use
- P281 Use personal protective equipment as required
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P202 Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P211 Do not spray on an open flame or other ignition source
- P251 Pressurized container: Do not pierce or burn, even after use

2.3. Other Hazards

General Hazards

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Dimethyl ether	Present	115-10-6	65-75	F+; R12	Flam. Gas 1 (H220) Press. Gas (H280)	Not determined

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration Number
n-Propyl bromide	Present	106-94-5	25-35	F; R11 Xi; R36/37/38 Xn; R48/20 Repr.Cat.2; R60 Repr.Cat.3; R63 R67	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360FD) STOT SE 3 (H335) STOT SE 3 (H336) STOT RE 2 (H373) Flam. Liq. 2 (H225)	Not determined
Lecithin	-	8002-43-5	1-5	-	Not determined	Not determined

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Additional Information

Substances which do not meet the criteria for classification are included in order to provide full disclosure of the product

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get

medical advice/attention.

Skin Contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse. If skin irritation occurs: Get medical advice/ attention.

Inhalation Remove to fresh air. Oxygen or artificial respiration if needed. Call a poison center or

doctor/physician if you feel unwell.

Ingestion Do not induce vomiting. If conscious, give 1 glass of water or milk to dilute. Call a physician

or poison control center immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms Causes skin irritation. Causes serious eye irritation. Concentrated spray may cause

freezing of skin area. Skin contact can lead to drying, defatting, itching, stinging and irritation. Prolonged breathing of vapors may cause nausea, headache, weakness and/or

dizziness. Irritating to mouth, throat, and stomach if ingested.

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media

Not determined.

5.2. Special Hazards Arising from the Substance or Mixture

Non-flammable aerosol. Aerosols may rupture violently at temperatures above 120 F. Pressurized container: May burst if heated. Vapors can form flammable mixtures in a narrow range of 4.6% to 8.5% by volume in air.

Hazardous Combustion Products

Carbon oxides. Hydrogen bromide.

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Remove all sources of ignition.

Methods for Clean-Up Place in appropriate containers for disposal.

6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}$ C/122 $^{\circ}$ F.

7.3. Specific End Use(s)

Specific Use(s)

Industrial mold release.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Revision Date: 01-Jan-2015

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits .

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Dimethyl ether 115-10-6	TWA 1000 ppm TWA 1920 mg/m ³	STEL: 500 ppm STEL: 958 mg/m ³ TWA: 400 ppm TWA: 766 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m³ Ceiling / Peak: 8000 ppm Ceiling / Peak: 15200 mg/m³
n-Propyl bromide 106-94-5				TWA: 10 ppm	Skin
Component	Italy	Portugal	Netherlands	Finland	Denmark
Dimethyl ether 115-10-6 (65-75)	TWA: 1000 ppm TWA: 1920 mg/m ³		STEL: 1500 mg/m ³ TWA: 950 mg/m ³	TWA: 1000 ppm TWA: 2000 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³
n-Propyl bromide 106-94-5 (25-35)		TWA: 10 ppm		TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³	
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Dimethyl ether 115-10-6	STEL 2000 ppm STEL 3820 mg/m ³ TWA: 1000 ppm TWA: 1910 mg/m ³	TWA: 1000 ppm TWA: 1910 mg/m ³	TWA: 1000 mg/m ³	TWA: 200 ppm TWA: 384 mg/m ³ STEL: 250 ppm STEL: 480 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³
n-Propyl bromide 106-94-5	Skin		TWA: 42 mg/m ³	•	

8.2. Exposure Controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

Eye/Face Protection Safety glasses.

Hand Protection Protective gloves are not required, but recommended. Do not use natural rubber gloves.

Skin and Body ProtectionSuitable protective clothing.Respiratory ProtectionProvide adequate ventilation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Aerosol

AppearanceClear, oily, colorless liquidOdorSlight odorColorClear ColorlessOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined Melting Point/Freezing Point < -45 °C / <-50 °F

Boiling Point/Boiling RangeNot availableFlash PointNot availableEvaporation RateNot available

Flammability (Solid, Gas) Non-flammable aerosol

Flammability Limits in Air

Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Not determined
Not determined
Not determined
Not available

44812E-EU - Slide Quick Lecithin MR

Property Values Remarks • Method (Water = 1)

Water Solubility Not soluble Solubility(ies) Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined Kinematic Viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined Oxidizing Properties Not determined

9.2. Other information

Bulk Density 6.52 lb/gal @ 60°F

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous Polymerization

Hazardous polymerization does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Do not puncture or incinerate cans. High heat or open flames.

10.5. Incompatible Materials

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

10.6. Hazardous Decomposition Products

Carbon oxides. Hydrogen bromide.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation.

InhalationDo not inhale.IngestionDo not ingest.

The following values are calculated based on chapter 3.1 of the GHS document:

Oral LD50 14,400.00 Units mg/kg
Dermal LD50 4,400.00

44812E-EU - Slide Quick Lecithin MR

Units mg/kg

Inhalation

Gas 99,999.00
Units mg/L
Mist 126.50
Units mg/L
Vapor 307.00
Units mg/L

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether			= 308.5 mg/L (Rat) 4 h
n-Propyl bromide	= 3600 mg/kg (Rat)		= 253 g/m ³ (Rat) 30 min

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Sensitization Not classified.

Germ cell mutagenicity Not classified.

Carcinogenicity None known based on information supplied.

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposureMay cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not classified.

Symptoms Please see section 4 of this SDS for symptoms.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
n-Propyl bromide		67.3: 96 h Pimephales promelas	
		mg/L LC50 flow-through	

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Chemical Name	Partition Coefficient
Dimethyl ether	-0.18
n-Propyl bromide	2.1

12.4. Mobility in Soil

Mobility

Not determined.

Revision Date: 01-Jan-2015

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Contains no ozone depleting chemicals.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues / Unused **Products**

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID No UN1950 14.2 Proper Shipping Name Aerosols 14.3 Hazard Class 2.1

14.5 Marine Pollutant This material may meet the definition of a marine pollutant

RID

14.1 UN/ID No UN1950 14.2 Proper Shipping Name Aerosols 14.3 Hazard Class 2.1

ADR

14.1 UN/ID No UN1950 14.2 Proper Shipping Name Aerosols 14.3 Hazard Class 2.1

ICAO (air)

14.1 UN/ID No UN1950

14.2 Proper Shipping Name Aerosols, flammable

14.3 Hazard Class 2.1

IATA

14.1 UN/ID No UN1950

14.2 Proper Shipping Name Aerosols, flammable

14.3 Hazard Class 2.1

Based on package size, product may be eligible for limited quantity exception.

Section 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

National Regulations

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	Title
n-Propyl bromide 106-94-5	RG 12	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

International Inventories

TSCA Listed

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R12 - Extremely flammable

R11 - Highly flammable

R67 - Vapors may cause drowsiness and dizziness

R60 - May impair fertility

R63 - Possible risk of harm to the unborn child

R36/37/38 - Irritating to eyes, respiratory system and skin

R48/20 - Also harmful: danger of serious damage to health by prolonged exposure through inhalation

Full text of H-Statements referred to under sections 2 and 3

H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H360FD - May damage fertility. May damage the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure

Classification Procedure

Calculation method

Issue Date: 01-Sep-2012

Revision Date: 01-Jan-2015

Revision Note: New format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Regulation (EU) No. 453/2010

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet