



Safety Data Sheet

Issue Date: 01-Sep-2012

Revision Date: 15-Dec-2017

Version 3

1. IDENTIFICATION

Product Identifier

Product Name Slide No-Rust Aerosol

Other means of identification

SDS # 40212

Product Code 40212

Synonyms No-Rust.

UN/ID No UN1950

Other Information Formula: 53081.

Recommended use of the chemical and restrictions on use

Recommended Use Industrial rust preventive.

Details of the supplier of the safety data sheet

Supplier Address

Slide Products Inc.
430 S. Wheeling Road
Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220

Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Brown liquid

Physical State Aerosol

Odor hydrocarbon solvent

Classification

Acute toxicity- Inhalation	Category 4
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

Signal Word

Danger

Hazard Statements

Harmful if inhaled
May be fatal if swallowed and enters airways
Extremely flammable aerosol

Other Hazards

Toxic to aquatic life with long lasting effects

**Precautionary Statements - Prevention**

Avoid breathing dust/fume/mist/vapor/spray
 Use only outdoors or in well-ventilated areas
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Do not spray on an open flame or other ignition source
 Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing
 Call a poison center/doctor if you feel unwell
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Do not induce vomiting

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms No-Rust.
Chemical Family Petroleum derivative.

Chemical Name	CAS No	Weight-%
Naphtha, petroleum, hydrotreated light	64742-49-0	25-35
Kerosene	8008-20-6	25-35
Propane	68476-86-8	20-30
Distillates (petroleum), solvent refined light naphthenic	64741-97-5	1-5
Petroleum, crude oil	8002-05-9	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water and seek medical advice.
Skin Contact	Wash off immediately with soap and plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician if you feel unwell. Apply hand cream.
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a poison center/doctor if you feel unwell.
Ingestion	Rinse mouth. Do not induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Symptoms	Exposure by inhalation may cause giddiness, nausea, and possible narcosis. Skin contact can lead to drying, defatting, itching, stinging and irritation. Direct contact with eyes may cause temporary irritation.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Aerosols are under pressure. Aerosols may rupture violently at temperatures above 120 F. Aerosol flame projection test: 18" extension at 70 F.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Use personal protective equipment as required.
-----------------------------	--

Environmental Precautions	See Section 12 for additional Ecological Information.
----------------------------------	---

Methods and material for containment and cleaning up

Methods for Containment	Remove all sources of ignition. Remove leaking container to outside disposal site.
--------------------------------	--

Methods for Clean-Up	Keep in suitable, closed containers for disposal.
-----------------------------	---

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling	Use personal protection recommended in Section 8. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray near flame or open lights. Do not drop. Do not puncture or incinerate cans.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Do not store at temperatures above 120°F. Store locked up.
---------------------------	---

Incompatible Materials	None known based on information supplied.
-------------------------------	---

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Kerosene 8008-20-6	TWA: 200 mg/m ³ total hydrocarbon vapor application restricted to conditions in which there are negligible aerosol exposures S*	-	TWA: 100 mg/m ³
Petroleum, Crude Oil 8002-05-9	-	TWA: 500 ppm TWA: 2000 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 1600 mg/m ³	IDLH: 1100 ppm Ceiling: 1800 mg/m ³ 15 min TWA: 350 mg/m ³

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Proper eye care is needed in all industrial operations.

Skin and Body Protection

Protective gloves are not required, but recommended.

Respiratory Protection

No protection is ordinarily required under normal conditions of use and with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Aerosol	Odor	hydrocarbon solvent
Appearance	Brown liquid	Odor Threshold	Not determined
Color	Brown		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	Not determined		
Melting Point/Freezing Point	< -40 °C / <-40 °F		
Boiling Point/Boiling Range	149-176.7 °C / 300-350 °F		
Flash Point	Not applicable		
Evaporation Rate	25 minutes		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	9.5		
Lower Flammability Limit	1.0		
Vapor Pressure	2	@ 20 C	
Vapor Density	>1		
Specific Gravity	0.83		
Water Solubility	Insoluble in water		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
VOC Content (%)	94%		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Avoid temperatures above 120°F. Avoid direct sunlight. Do not spray near flame or open lights.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	Harmful if inhaled
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrotreated light 64742-49-0	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h
Kerosene 8008-20-6	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.28 mg/L (Rat) 4 h
Naphthalene sulfonic acid, dinonyl, calcium salt 57855-77-3	> 5000 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	> 18 mg/L (Rat) 4 h
Calcium salts 68783-96-0	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Distillates (petroleum), solvent refined light naphthenic 64741-97-5	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Petroleum, crude oil 8002-05-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Information on physical, chemical and toxicological effects

Symptoms

Exposure by inhalation may cause giddiness, nausea, and possible narcosis. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Direct contact with eyes may cause temporary irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Kerosene 8008-20-6	A3	Group 3		
Distillates (petroleum), solvent refined light naphthenic 64741-97-5	A2	Group 1	Known	X
Petroleum, crude oil 8002-05-9	A2	Group 3	Known	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2- Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1- Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known- Known carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X- Present

Aspiration hazard

May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Contains no ozone depleting chemicals. Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Naphtha, petroleum, hydrotreated light 64742-49-0			2.6: 96 h Chaetogammarus marinus mg/L LC50
Distillates (petroleum), solvent refined light naphthenic 64741-97-5		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Calcium salts 68783-96-0	1000: 96 h Pseudokirchneriella subcapitata mg/L EC50	40: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum, Crude Oil 8002-05-9		258: 96 h Salmo gairdneri mg/L LC50 static	0.26: 48 h Daphnia magna mg/L EC50 Static 36: 24 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Propane 68476-86-8	<=2.8

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION**Note**

Based on package size, product may be eligible for limited quantity exception.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

IATA

UN/ID No UN1950
Proper Shipping Name Aerosols, flammable
Hazard Class 2.1

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Marine Pollutant Yes

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Naphtha, petroleum, hydrotreated light	X	X	X	X	X		X	Present	X	X
Kerosene	X	X	X	X	X	Present	X	Present	X	X
Propane	X	X	X	X	X		X	Present	X	X
Napthalene sulfonic acid, dinonyl, calcim salt	X	X	X	X	X	Present	X	Present	X	X
Distillates (petroleum), solvent refined light naphthenic	X	X	X	X	X		X	Present	X	X
Calcium salts	X	X	X	X	X	Present	X	Present	X	X
Petroleum, crude oil	X	X	X	X	X		X	Present	X	X

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****SARA 313**

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Petroleum, Crude Oil - 8002-05-9	8002-05-9	1-5	0.1

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Kerosene 8008-20-6	X	X	X
Distillates (petroleum), solvent refined light naphthenic 64741-97-5		X	
Petroleum, crude oil	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards**

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS**Health Hazards**

1

Flammability

3

Physical Hazards

0

Personal Protection

B

Issue Date:

01-Sep-2012

Revision Date:

15-Dec-2017

Revision Note:

Formula update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet