

# Safety Data Sheet

Revision Date: 01-Dec-2021

Version 3

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	Slide Econo-Spray 3 Food Approved Mold Release	
Other means of identification SDS #	40810P	
Product Code UN/ID No	40810P UN1950	
Recommended use of the chemical and restrictions on use   Recommended Use Industrial mold release.		
Details of the supplier of the safety Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090	data sheet	
Emergency telephone number Company Phone Number Emergency Telephone	Phone: 1-847-541-7220 Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	

# 2. HAZARDS IDENTIFICATION

#### Appearance Clear liquid in an aerosol

Physical state Aerosol

#### **Classification**

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Aerosols	Category 1
Gases under pressure	Compressed gas

#### <u>Signal Word</u> Danger

## Hazard statements

Causes skin irritation May cause respiratory irritation. May cause drowsiness or dizziness May be fatal if swallowed and enters airways Extremely flammable aerosol Contains gas under pressure; may explode if heated



#### **Precautionary Statements - Prevention**

Wear protective gloves, protective clothing, eye protection, and face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust, fume, gas, mist, vapors, or spray Use only outdoors or in a well-ventilated area Keep away from heat, sparks, open flames, and hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation occurs; Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

## Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Heptane	142-82-5	60-70
Propane	68476-86-8	25-35
Polyalkylene Glycol	9003-13-8	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

#### Description of first aid measures

General Advice	If exposed or concerned: Get medical advice/attention.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with soap and water. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen.
Ingestion	Do NOT induce vomiting. Drink plenty of water or milk immediately. Call a physician immediately.

#### Most important symptoms and effects, both acute and delayed

Symptoms	Irritating to mouth, throat, and stomach if ingested. Overexposure by inhalation can cause
	headaches, nausea, dizziness, decreased blood pressure. May cause skin irritation and
	defatting of skin with repeated/prolonged contact. Exposed individuals may experience eye
	tearing, redness and discomfort.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical. Water spray (fog).

#### Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical

Pressurized container: May burst if heated. Aerosols may rupture violently at temperatures above 120 F. Vapors may form explosive mixture with air.

Hazardous combustion products Carbon oxides.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.	
Environmental precautions		
Methods and material for containm	ent and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Keep in suitable, closed containers for disposal.	
	7. HANDLING AND STORAGE	
Precautions for safe handling Advice on Safe Handling	Use personal protection recommended in Section 8. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapors, or spray. Use only in well-ventilated areas. Keep away from heat, sparks, open flames, and hot surfaces. — No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from direct sunlight. Keep away from heat. Do not store at temperatures above 120°F.	
Incompatible Materials	None known based on information supplied.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 1600 mg/m <sup>3</sup>	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) STEL: 2000 mg/m <sup>3</sup>	

## Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses.
Skin and Body Protection	Protective gloves are not required, but recommended.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Color	Aerosol Clear liquid in an aerosol Clear	Odor Odor Threshold	Not available Not available
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> Not available Not available 70 °C / 159 °F	<u>Remarks • Method</u>	
Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air	Not available Faster than ether Not available		
Upper flammability or explosive limits Lower flammability or explosive	7.5% 1.2%		
limits Vapor Pressure Vapor Density Relative Density	137 mm Hg Heavier than air 0.6288		
Water Solubility Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature	Not available Not available Not available Not available Not available		
Kinematic viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Not available Not available Not available Not available Not available		

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Avoid temperatures above 120°F. Do not puncture or incinerate cans.

#### Incompatible materials

None known based on information supplied.

#### Hazardous decomposition products

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Causes skin irritation.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane	-	= 3000 mg/kg (Rabbit)	= 103 g/m <sup>3</sup> (Rat) 4 h
142-82-5			

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.
Delayed and immediate effects as	well as chronic effects from short and long-term exposure
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.
Aspiration hazard	May be fatal if swallowed and enters airways.

#### Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50	36,017.00 mg/kg
Dermal LD50	4,317.00 mg/kg
Gas	1,018,724.20 mg/L
ATEmix (inhalation-vapor)	2,001.00 mg/L

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

#### **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Heptane		375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L
142-82-5			EC50

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### Mobility

Chemical name	Partition coefficient
Heptane 142-82-5	4.66
Propane 68476-86-8	<=2.8

# Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Heptane	Toxic
142-82-5	Ignitable

# **14. TRANSPORT INFORMATION**

#### Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

#### DOT

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard class	2.1

IATA	
UN number	UN1950
Proper Shipping Name	Aerosols, flammable
Transport hazard class(es)	2.1
IMDG_	
UN number	UN1950
Proper Shipping Name	Aerosols
Transport hazard class(es)	2.1
Marine Pollutant	Heptane

# **15. REGULATORY INFORMATION**

#### International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Heptane	Х	Х	X	Х	Х	Х	Х	Х
Propane	Х	Х	Х		Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Heptane	Х	Х	Х
142-82-5			

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 1	Flammability Not determined Flammability 4	<b>Instability</b> Not determined <b>Physical hazards</b> 0	<b>Special Hazards</b> Not determined <b>Personal Protection</b> B
Issue Date: Revision Date: Revision Note:	11-Sep-2018 01-Dec-2021 Regulatory update			

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**