

Issue Date: 01-Sep-2012

Revision Date: 01-Dec-2021

Version 4

Safety Data Sheet

	1. IDENTIFICATION		
Product Identifier Product Name	D.F.L. Dry Film Lube Mold Release		
i roudet nume			
Other means of identification SDS #	41112N		
Product Code Synonyms	41112N Slide Dry Film Lubricant		
UN/ID No Other Information	Low Molecular Weight PTFE Dispersion. UN1950 Formula: 53122.		
Recommended use of the chemica	I and restrictions on use		
Recommended Use	Industrial mold release.		
Details of the supplier of the safety Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090	<u>data sheet</u>		
Emergency Telephone Number			
Company Phone Number Emergency Telephone (24 hr)	Phone: 1-847-541-7220 Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
	2. HAZARDS IDENTIFICATION		
Appearance Milky white dispersion	Physical State Aerosol		Odor Slight alcoho
<u>Classification</u>			
Flammable Aerosols		Category 2	
Gases Under Pressure		Compressed Gas	

<u>Signal Word</u> Warning

Hazard Statements Flammable Aerosol

Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Slide Dry Film Lubricant Low Molecular Weight PTFE Dispersion.

Chemical Name	CAS No	Weight-%
Dimethyl ether	115-10-6	45-55
1,1 difluoroethane	75-37-6	45-55
PTFE Solid	68604-99-9	1-5
Isopropyl alcohol	67-63-0	1-6

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures	
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Call a physician immediately.
Skin Contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effect	t <u>s</u>
Symptoms	Inhalation symptoms may include dizziness and headache. Nausea. Concentrated spray may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.
Indication of any immediate medica	l attention and special treatment needed
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Hydrogen chloride. Hydrogen fluoride. Traces of phosgene upon pyrolysis.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective e	guipment and emergency procedures
Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	nent and cleaning up
Methods for Containment	Remove leaking container to outside disposal site. Remove all sources of ignition.
Methods for Clean-Up	Keep in suitable, closed containers for disposal.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on Safe Handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.
Conditions for safe storage, includ	ling any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight.
Incompatible Materials	Powdered or alkaline earth metals.
8. EX	POSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Threshold Limit Value: 400 ppm

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	_

Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits.
Individual protection measures, s	uch as personal protective equipment
Eye/Face Protection	Proper eye care is needed in all industrial operations.
Skin and Body Protection	Protective gloves are not required, but recommended.
Respiratory Protection	No protection is ordinarily required under normal conditions of use and with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Aerosol		
Appearance	Milky white dispersion	Odor	Slight alcohol
Color	Milky white	Odor Threshold	Not available
D			
Property	values	Remarks • Method	
pH	Not available		
Melting Point/Freezing Point	<-45°C / <-50°F		
Boiling Point/Boiling Range	Not available		
Flash Point	Not applicable		
Evaporation Rate	Extremely rapid		
Flammability (Solid, Gas)	Flammable aerosol		
Upper Flammability Limits	25.0%		
Lower Flammability Limit	4.0%		
Vapor Pressure	Not available		
Vapor Density	Not available		
Specific Gravity	1.0	(Water = 1)	
Water Solubility	Not soluble		
Solubility in other solvents	Not available		
Partition Coefficient	Not available		
Auto-ignition Temperature	Not available		
Decomposition Temperature	Not available		
Kinematic Viscosity	Not available		
Dynamic Viscosity	Not available		
Explosive Properties	Not available		
Oxidizing Properties	Not available		
Density	Weight per gallon: 8.37		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

High heat or open flames.

Incompatible Materials

Powdered or alkaline earth metals.

Hazardous Decomposition Products

Hydrogen chloride. Hydrogen fluoride. Traces of phosgene upon pyrolysis.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether 115-10-6	-	-	= 308.5 mg/L (Rat)4 h
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat)= 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat)4 h

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		Х
67-63-0				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	promelas mg/L LC50 flow-		mg/L EC50
	1000: 72 h Desmodesmus	through 11130: 96 h		
	subspicatus mg/L EC50	Pimephales promelas mg/L		
		LC50 static 1400000: 96 h		
		Lepomis macrochirus µg/L		
		LC50		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Chemical Name	Partition Coefficient
Dimethyl ether 115-10-6	-0.18
Isopropyl alcohol 67-63-0	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.
DOT UN/ID No Proper Shipping Name Hazard Class	(each not exceeding 1 L capacity) UN1950 Aerosols 2.1
IATA UN/ID No Proper Shipping Name Hazard Class	UN1950 Aerosols, flammable 2.1
IMDG UN/ID No Proper Shipping Name Hazard Class	UN1950 Aerosols 2.1

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	Present	Х		Present		Present	Х	Present	Х	Х
1,1 difluoroethane	Present	Х		Present		Present	Х	Present	Х	Х
PTFE Solid	Present	Х		Present				Present		Х
Isopropyl alcohol	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	3	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether 115-10-6	Х	Х	Х
1,1 difluoroethane 75-37-6	Х	Х	
Isopropyl alcohol 67-63-0	Х	Х	Х

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
<u>HMIS</u>	Not determined	Not determined	Not determined	Not determined
	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	3	0	B

Issue Date:	01-Sep-2012		
Revision Date:	01-Dec-2021		
Revision Note:	Regulatory update		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet