

# **Safety Data Sheet**

Issue Date: 14-Sep-2018 Revision Date: 01-Nov-2021 Version 2

# 1. IDENTIFICATION

**Product identifier** 

Product Name Slide Polycarbonate Mold Release Bulk

Other means of identification

SDS# 414PBULK

**Product Code** 41401PB, 41405PB, and 41455PB

UN/ID No UN1206

Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

Details of the supplier of the safety data sheet

**Supplier Address** Slide Products Inc. 430 Wheeling Road Wheeling, IL 60090

Emergency telephone number

Company Phone Number Phone: 1-800-323-6433

Fax: 1-800-756-7986

**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

### Physical state Liquid

### Classification

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable liquids	Category 2

### Signal Word

Danger

# **Hazard statements**

Causes skin irritation
May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Highly flammable liquid and vapor







#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools

Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection

Keep cool

### <u>Precautionary Statements - Response</u>

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Very toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
N-Heptane	142-82-5	90-99
Paintable Silicone Fluid	68037-74-4	1-9

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. \*\*

### 4. FIRST AID MEASURES

### **Description of first aid measures**

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. If skin irritation occurs: Get medical

advice/attention.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison center or doctor/physician if you feel unwell.

**Ingestion** Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

\_\_\_\_\_

Revision Date: 01-Nov-2021

#### Most important symptoms and effects, both acute and delayed

**Symptoms** May be harmful in contact with skin. Causes skin irritation. May cause drowsiness or

dizziness. May be fatal if swallowed and enters airways.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Highly flammable liquid and vapor.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear

protective gloves/protective clothing and eye/face protection. Keep cool.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Incompatible Materials**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 1600 mg/m <sup>3</sup>	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) STEL: 2000 mg/m <sup>3</sup>	

### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

**Eve/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

**Appearance** Not determined Odor Not determined Color Not determined **Odor Threshold** Not determined

**Property** Values Remarks · Method

Not determined pН Melting point / freezing point Not determined 98 °C / 208 °F Boiling point / boiling range Flash point -4 °C / 25 °F **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

**Vapor Pressure** Not determined **Vapor Density** Not determined **Relative Density** Not determined Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

# **Conditions to Avoid**

Keep out of reach of children.

### Incompatible materials

None known based on information supplied.

# **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** May be harmful in contact with skin.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
N-Heptane	-	= 3000 mg/kg (Rabbit)	= 103 g/m <sup>3</sup> (Rat) 4 h
142-82-5			

# Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes skin irritation.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

**STOT - single exposure** May cause drowsiness or dizziness.

**Aspiration hazard** May be fatal if swallowed and enters airways.

### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document.

Dermal LD50 3,092.80 mg/kg
ATEmix (inhalation-dust/mist) 106.20 mg/L

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

# **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
N-Heptane		375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L
142-82-5		_	EC50

# Persistence/Degradability

Not determined.

### Bioaccumulation

There is no data for this product.

### **Mobility**

Chemical name	Partition coefficient
N-Heptane	4.66
142-82-5	

### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical name	California Hazardous Waste Status	
N-Heptane	Toxic	
142-82-5	Ignitable	

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

<u>DOT</u>

UN1206

Proper Shipping Name Heptanes solution

Hazard class 3
Packing Group II

Marine Pollutant Yes, in containers larger than 119 gal

\_\_\_\_\_

Revision Date: 01-Nov-2021

IATA

UN number UN1206

Proper Shipping Name Heptanes solution

Transport hazard class(es) 3
Packing Group ||

<u>IMDG</u>

UN number UN1206

Proper Shipping Name Heptanes solution

Transport hazard class(es) 3
Packing Group || Marine Pollutant Yes

# 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
N-Heptane	X	X	X	Х	X	X	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
N-Heptane	X	X	X
142-82-5			

# **16. OTHER INFORMATION**

NFPA Health Hazards

Not determined
Health Hazards

Flammability Not determined Flammability 3 Instability
Not determined
Physical hazards

Special Hazards
Not determined
Personal Protection

Revision Date: 01-Nov-2021

Consult your supervisor for special handling instructions.

Issue Date:14-Sep-2018Revision Date:01-Nov-2021Revision Note:Regulatory Update

# **Disclaimer**

**HMIS** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_