

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

SDS # 41712-EU
Product Code 41712
Product Name New Slide Dura-Kote Aerosol

Synonyms Epoxy-Dri
Formula 41712

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Industrial mold release

1.3. Details of the Supplier of the Safety Data Sheet

Supplier

Slide Products Inc.
 430 S. Wheeling Road
 Wheeling, IL 60090

For further information, please contact

Contact Point Slide Products: 1-847-541-7220
Email Address info@slideproducts.com

1.4. Emergency telephone number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Regulation (EC) No 1272/2008

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Chronic aquatic toxicity	Category 2
Flammable Aerosols	Category 2

Classification according to 67/548/EEC

Full text of R-phrases: see section 16

Hazard Symbols

T - Toxic

R-code(s)

R45; R46; R10

2.2. Label Elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP].

**Signal Word**

Danger

Hazard Statements

H340 - May cause genetic defects

H350 - May cause cancer

H223 - Flammable aerosol

H411 - Toxic to aquatic life with long lasting effects

H229 - Pressurized container: May burst if heated

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Pressurized container: Do not pierce or burn, even after use

2.3. Other Hazards**General Hazards**

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures**

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Dimethyl ether	Present	115-10-6	40-50	F+; R12	Flam. Gas 1 (H220) Press. Gas (H280)	Not determined
1,1,1,2-Tetrafluoroethane	Present	811-97-2	40-50	-	Not determined	Not determined
Isopropyl alcohol	Present	67-63-0	1-10	F; R11 Xi; R36 R67	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	Not determined
Trimethylated Silica	Present	68988-56-7	2.4	-	Not determined	Not determined
Stoddard solvent	Present	8052-41-3	<5	Car. Cat. 2; R45 Muta. Cat. 2; R46 Xn; R65	Muta. 1B (H340) Carc. 1B (H350) Asp. Tox. 1 (H304)	Not determined

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Xylene	Present	1330-20-7	<1	R10 Xn; R20/21 Xi; R38	Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Flam. Liq. 3 (H226)	Not determined
Tetra(trimethylsiloxy) silane	Present	3555-47-3	0.3	-	Not determined	Not determined
Ethylbenzene	Present	100-41-4	<1	F; R11 Xn; R20	Acute Tox. 4 (H332) Flam. Liq. 2 (H225)	Not determined

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Additional Information

Substances without a classification are included, because they have established occupational exposure limits

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice	If exposed or concerned: Get medical advice/attention.
Eye Contact	If adverse effects occur, rinse eyes with large amounts of water until irritation subsides.
Skin Contact	Wash with soap and water. Apply hand cream.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms	Inhalation may cause giddiness or nausea. May cause skin irritation and defatting of skin with repeated/prolonged contact.
-----------------	--

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Not determined.

5.2. Special Hazards Arising from the Substance or Mixture

Chlorinated hydrocarbons form HCl and traces of phosgene upon pyrolysis. Aerosols may rupture violently at temperatures above 120 F. Product is not flammable by aerosol Standards.

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Collect spillage.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Remove all sources of ignition.

Methods for Clean-Up Place in appropriate containers for disposal.

6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Do not puncture or incinerate cans. Avoid over-spraying onto floors-slippery surface may result. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from direct sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

7.3. Specific End Use(s)

Specific Use(s)

Industrial mold release.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Dimethyl ether 115-10-6	TWA 1000 ppm TWA 1920 mg/m ³	STEL: 500 ppm STEL: 958 mg/m ³ TWA: 400 ppm TWA: 766 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ Ceiling / Peak: 8000 ppm Ceiling / Peak: 15200 mg/m ³
1,1,1,2-Tetrafluoroethane 811-97-2		STEL: 3000 ppm STEL: 12720 mg/m ³ TWA: 1000 ppm TWA: 4240 mg/m ³			TWA: 1000 ppm TWA: 4200 mg/m ³ Ceiling / Peak: 8000 ppm Ceiling / Peak: 33600 mg/m ³
Isopropyl alcohol 67-63-0		STEL: 500 ppm STEL: 1250 mg/m ³ TWA: 400 ppm TWA: 999 mg/m ³	STEL: 400 ppm STEL: 980 mg/m ³	STEL: 400 ppm STEL: 1000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ Ceiling / Peak: 400 ppm Ceiling / Peak: 1000 mg/m ³
Xylene 1330-20-7	S* TWA 50 ppm TWA 221 mg/m ³ STEL 100 ppm STEL 442 mg/m ³	STEL: 100 ppm STEL: 441 mg/m ³ TWA: 50 ppm TWA: 220 mg/m ³ Skin	TWA: 50 ppm TWA: 221 mg/m ³ TWA: 1000 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ STEL: 1500 mg/m ³	S* STEL: 100 ppm STEL: 442 mg/m ³ TWA: 50 ppm TWA: 221 mg/m ³	TWA: 100 ppm TWA: 440 mg/m ³ Ceiling / Peak: 200 ppm Ceiling / Peak: 880 mg/m ³ Skin
Ethylbenzene 100-41-4	S* TWA 100 ppm TWA 442 mg/m ³ STEL 200 ppm STEL 884 mg/m ³	STEL: 125 ppm STEL: 552 mg/m ³ TWA: 100 ppm TWA: 441 mg/m ³ Skin	TWA: 20 ppm TWA: 88.4 mg/m ³ TWA: 1000 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ STEL: 1500 mg/m ³	S* STEL: 200 ppm STEL: 884 mg/m ³ TWA: 100 ppm TWA: 441 mg/m ³	TWA: 20 ppm TWA: 88 mg/m ³ Ceiling / Peak: 40 ppm Ceiling / Peak: 176 mg/m ³ Skin
Component	Italy	Portugal	Netherlands	Finland	Denmark
Dimethyl ether 115-10-6 (40-50)	TWA: 1000 ppm TWA: 1920 mg/m ³		STEL: 1500 mg/m ³ TWA: 950 mg/m ³	TWA: 1000 ppm TWA: 2000 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³
Isopropyl alcohol 67-63-0 (1-10)		STEL: 400 ppm TWA: 200 ppm		TWA: 200 ppm TWA: 500 mg/m ³ STEL: 250 ppm STEL: 620 mg/m ³	TWA: 200 ppm TWA: 490 mg/m ³
Stoddard solvent 8052-41-3 (<5)		TWA: 100 ppm			TWA: 25 ppm TWA: 145 mg/m ³
Xylene 1330-20-7 (<1)	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ Skin	STEL: 150 ppm TWA: 100 ppm	Skin STEL: 442 mg/m ³ TWA: 210 mg/m ³	TWA: 50 ppm TWA: 220 mg/m ³ STEL: 100 ppm STEL: 440 mg/m ³ Skin	TWA: 25 ppm TWA: 109 mg/m ³ Skin
Ethylbenzene 100-41-4 (<1)	TWA: 100 ppm TWA: 442 mg/m ³ STEL: 200 ppm STEL: 884 mg/m ³ Skin	STEL: 125 ppm TWA: 100 ppm	Skin STEL: 430 mg/m ³ TWA: 215 mg/m ³	TWA: 50 ppm TWA: 220 mg/m ³ STEL: 200 ppm STEL: 880 mg/m ³ Skin	TWA: 50 ppm TWA: 217 mg/m ³ Skin

Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Dimethyl ether 115-10-6	STEL 2000 ppm STEL 3820 mg/m ³ TWA: 1000 ppm TWA: 1910 mg/m ³	TWA: 1000 ppm TWA: 1910 mg/m ³	TWA: 1000 mg/m ³	TWA: 200 ppm TWA: 384 mg/m ³ STEL: 250 ppm STEL: 480 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³
1,1,1,2-Tetrafluoroethane 811-97-2	STEL 4000 ppm STEL 16800 mg/m ³ TWA: 1000 ppm TWA: 4200 mg/m ³	TWA: 1000 ppm TWA: 4200 mg/m ³			
Isopropyl alcohol 67-63-0	STEL 800 ppm STEL 2000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	STEL: 400 ppm STEL: 1000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	STEL: 1200 mg/m ³ TWA: 900 mg/m ³ Skin	TWA: 100 ppm TWA: 245 mg/m ³ STEL: 150 ppm STEL: 306.25 mg/m ³	TWA: 200 ppm STEL: 400 ppm Skin
Stoddard solvent 8052-41-3			STEL: 900 mg/m ³ TWA: 300 mg/m ³		TWA: 100 ppm TWA: 573 mg/m ³
Xylene 1330-20-7	Skin STEL 100 ppm STEL 442 mg/m ³ TWA: 50 ppm TWA: 221 mg/m ³	Skin STEL: 200 ppm STEL: 870 mg/m ³ TWA: 100 ppm TWA: 435 mg/m ³	TWA: 100 mg/m ³ Skin	TWA: 25 ppm TWA: 108 mg/m ³ Skin STEL: 37.5 ppm STEL: 135 mg/m ³	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ Skin
Ethylbenzene 100-41-4	Skin STEL 200 ppm STEL 880 mg/m ³ TWA: 100 ppm TWA: 440 mg/m ³	Skin STEL: 100 ppm STEL: 435 mg/m ³ TWA: 100 ppm TWA: 435 mg/m ³	STEL: 400 mg/m ³ TWA: 200 mg/m ³ Skin	TWA: 5 ppm TWA: 20 mg/m ³ Skin STEL: 10 ppm STEL: 30 mg/m ³	TWA: 100 ppm TWA: 442 mg/m ³ STEL: 200 ppm STEL: 884 mg/m ³ Skin

8.2. Exposure Controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

Eye/Face Protection

Proper eye care is needed in all industrial operations.

Hand Protection

Protective gloves are not required, but recommended.

Skin and Body Protection

Suitable protective clothing.

Respiratory Protection

Provide adequate ventilation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	Aerosol	Odor	Mild hydrocarbon
Appearance	Water-white mobile liquid	Odor Threshold	Not determined
Color	Water white		
Property	Values	Remarks • Method	
pH	Not determined		
Melting Point/Freezing Point	< -34 °C / <-30 °F		
Boiling Point/Boiling Range	39-83 °C / 103-181 °F		
Flash Point	Not determined		
Evaporation Rate	0.4 minutes		
Flammability (Solid, Gas)	Not determined		
Flammability Limits in Air			
Upper Flammability Limits	Not available		
Lower Flammability Limit	Not available		
Vapor Pressure	Nil		
Vapor Density	>1	(Air=1)	
Relative Density	0.897	(Water = 1)	
Water Solubility	Nil		
Solubility(ies)	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
<u>9.2. Other information</u>		
Density	7.487 weight/gallon	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous Polymerization

Hazardous polymerization does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

High heat or open flames.

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.
Unknown Acute Toxicity	2.7% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

Oral LD50	109,900.00
Units	mg/kg
Dermal LD50	320,000.00
Units	mg/kg
Inhalation	
Gas	69,170.00
Units	mg/L

Mist	1,815.00
Units	mg/L
Vapor	433.00
Units	mg/L

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether			= 308.5 mg/L (Rat) 4 h
1,1,1,2-Tetrafluoroethane			= 1500 g/m ³ (Rat) 4 h
Isopropyl alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Xylene	= 4300 mg/kg (Rat)	> 1700 mg/kg (Rabbit)	= 5000 ppm (Rat) 4 h = 47635 mg/L (Rat) 4 h
Ethylbenzene	= 3500 mg/kg (Rat)	= 15354 mg/kg (Rabbit)	= 17.2 mg/L (Rat) 4 h

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitization	Not classified.
Germ cell mutagenicity	May cause genetic defects.
Carcinogenicity	May cause cancer.

Chemical Name	European Union
Stoddard solvent	Carc. 1B

Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Symptoms	Please see section 4 of this SDS for symptoms.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isopropyl alcohol	1000: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 1000: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	9640: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 11130: 96 h <i>Pimephales promelas</i> mg/L LC50 static 1400000: 96 h <i>Lepomis macrochirus</i> µg/L LC50	13299: 48 h <i>Daphnia magna</i> mg/L EC50

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Xylene		13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50
Ethylbenzene	4.6: 72 h Pseudokirchneriella subcapitata mg/L EC50 438: 96 h Pseudokirchneriella subcapitata mg/L EC50 2.6 - 11.3: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 1.7 - 7.6: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	11.0 - 18.0: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 7.55 - 11: 96 h Pimephales promelas mg/L LC50 flow-through 32: 96 h Lepomis macrochirus mg/L LC50 static 9.1 - 15.6: 96 h Pimephales promelas mg/L LC50 static 9.6: 96 h Poecilia reticulata mg/L LC50 static	1.8 - 2.4: 48 h Daphnia magna mg/L EC50

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Chemical Name	Partition Coefficient
Dimethyl ether	-0.18
Isopropyl alcohol	0.05
Xylene	3.15
Ethylbenzene	3.118

12.4. Mobility in Soil**Mobility**

Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined.

Section 13: DISPOSAL CONSIDERATIONS**13.1. Waste Treatment Methods****Waste from Residues / Unused Products**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. **Based on package size, product may be eligible for limited quantity exception.**

IMDG

14.1 UN/ID No UN1950
 14.2 Proper Shipping Name Aerosols
 14.3 Hazard Class 2.1
 14.5 Marine Pollutant This material may meet the definition of a marine pollutant

RID

14.1 UN/ID No UN1950
 14.2 Proper Shipping Name Aerosols
 14.3 Hazard Class 2.1

ADR

14.1 UN/ID No UN1950
 14.2 Proper Shipping Name Aerosols
 14.3 Hazard Class 2.1

ICAO (air)

14.1 UN/ID No UN1950
 14.2 Proper Shipping Name Aerosols, non-flammable
 14.3 Hazard Class 2.1

IATA

14.1 UN/ID No UN1950
 14.2 Proper Shipping Name Aerosols, non-flammable
 14.3 Hazard Class 2.1

Section 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	Title
Isopropyl alcohol 67-63-0	RG 84	
Stoddard solvent 8052-41-3	RG 84	
Xylene 1330-20-7	RG 4bis, RG 84	
Ethylbenzene 100-41-4	RG 84	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

International Inventories

TSCA Listed
 EINECS/ELINCS -
 DSL/NDSL -
 PICCS -
 ENCS -
 IECS -
 AICS -

KECL**Legend****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**AICS** - Australian Inventory of Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**15.2. Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION**Full text of R-phrases referred to under sections 2 and 3**

R12 - Extremely flammable

R11 - Highly flammable

R67 - Vapors may cause drowsiness and dizziness

R36 - Irritating to eyes

R65 - Harmful: may cause lung damage if swallowed

R10 - Flammable

R38 - Irritating to skin

R20 - Harmful by inhalation

R45 - May cause cancer

R46 - May cause heritable genetic damage

R20/21 - Harmful by inhalation and in contact with skin

Full text of H-Statements referred to under sections 2 and 3

H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H225 - Highly flammable liquid and vapor

H340 - May cause genetic defects

H350 - May cause cancer

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H315 - Causes skin irritation

H226 - Flammable liquid and vapor

Classification Procedure

Calculation method

Issue Date: 01-Sep-2012**Revision Date:** 01-Jan-2015**Revision Note:** New format.**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Regulation (EU) No. 453/2010****Disclaimer****The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.****End of Safety Data Sheet**