



**Safety Data Sheet**  
**Slide Resin Remover Aerosol**

**SDS Revision Date: 06/17/2025**

**Section 1. Identification**

**Product identifier** 41914

**Product Identity** Slide Resin Remover Aerosol

**Other means of identification** Slide Resin Remover Aerosol

**Relevant identified uses of the substance or mixture and uses advised against**

Industrial Mold Cleaner

**Details of the supplier of the safety data sheet**

**Company Name** Slide Products Inc.  
430 Wheeling Road  
Wheeling, IL 60090

**Initial Supplier Identifier:** THIS SAFETY DATA SHEET IS NOT COMPLIANT UNLESS CANADIAN ADDRESS IS USED  
PLEASE CONTACT A CANADIAN SLIDE DISTRIBUTOR FOR THE FULLY COMPLIANT SDS FILE

**Emergency**  
**24 hour Emergency** Emergency Telephone INFOTRAC 1-352-323-3500 (International)  
**Telephone No.** 1-800-535-5053 (North America)

**Customer Service:** Phone: 1-847-541-7220  
Fax: 1-847-541-7986

**Section 2. Hazard(s) identification****Classification of the substance or mixture**

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

May be harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May damage the unborn child.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

**Label elements****Danger**

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

May be harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

May cause drowsiness and dizziness.

May damage the unborn child.

May cause damage to organs through prolonged or repeated exposure.

**[Prevention]:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Do not breathe dust, fume, mist, vapours or spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves, eye protection, and face protection.



**Safety Data Sheet**  
**Slide Resin Remover Aerosol**

**SDS Revision Date: 06/17/2025**

**[Response]:**

IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice or attention.

Immediately call a POISON CENTER, doctor or physician.

Call a POISON CENTER, doctor or physician if you feel unwell.

Get Medical advice or attention if you feel unwell.

If skin irritation occurs: Get medical attention.

Take off contaminated clothing and wash it before reuse.

Leaking gas fire - do not extinguish unless leak can be stopped safely.

In case of leakage, eliminate all ignition sources.

**[Storage]:**

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well ventilated place.

**[Disposal]:**

Dispose of contents or container in accordance with local and national regulations.

### Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
<b>Gamma-butyrolactone</b> CAS Number: 96-48-0 Synonyms: .gamma.-Butyrolactone, 2(3H)-Furanone, dihydro-, Butyrolacton	30 - 40	Acute Tox. 4;H302 Eye Dam. 1;H318 STOT SE 3;H336	----
<b>1-methyl-2-pyrrolidone</b> CAS Number: 872-50-4 Synonyms: 1-metil-2-pirolidona, METHYLPYRROLIDONE	30 - 40	Repr. 1B;H360D Eye Irrit. 2;H319 STOT SE 3;H335 C ≥ 10 % Skin Irrit. 2;H315	----
<b>1-bromopropane</b> CAS Number: 106-94-5 Synonyms: Propyl bromide	20 - 30	Flam. Liq. 2;H225 Repr. 1B;H360FD STOT RE 2;H373 Eye Irrit. 2;H319 STOT SE 3;H335 Skin Irrit. 2;H315 STOT SE 3;H336	----
<b>Petroleum gases, liquefied</b> CAS Number: 68476-86-8 Synonyms: Petroleum gases, liquefied, sweetened	1 - 10	Press. Gas;H280 Flam. Gas 1;H220	----

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

#### Section 4. First aid measures

##### Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

**Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

##### Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.  
Reproductive or genetic defect hazard. Treat symptomatically. See section 2 for further details.

**Inhalation** May cause respiratory irritation.

**Eyes** Causes serious eye damage.

**Skin** Causes skin irritation.

## Section 5. Fire-fighting measures

### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.  
Keep away from heat, sparks, open flames, and other ignition sources - No smoking.  
Do not breathe dust, fume, mist, vapours or spray.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area.  
Wear SCBA during clean-up immediately after fire. No smoking.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).  
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### Environmental precautions

Do not allow spills to enter drains or waterways.

### Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8.  
Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite.  
Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.  
See section 2 for further details. - [Prevention]:

### Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information  
See section 2 for further details. - [Storage]:

### Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

### Control parameters

#### Exposure Limits

CAS No.	Ingredient	Source	Value
96-48-0	Gamma-butyrolactone	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
106-94-5	1-bromopropane	ACGIH	0.1 ppm
		Alberta	10 ppm TWA; 50 mg/m <sup>3</sup> TWA
		British Columbia	0.1 ppm TWA
		Manitoba	0.1 ppm TWA
		New Brunswick	No Established Limit
		Newfoundland and Labrador	0.1 ppm TWA
		Nova Scotia	0.1 ppm TWA
		Northwest Territories	10 ppm TWA 20 ppm STEL
		Nunavut	10 ppm TWA 20 ppm STEL
		Ontario	0.1 ppm TWA
		Prince Edward Island	0.1 ppm TWA
		Quebec	No Established Limit
		Saskatchewan	10 ppm TWA 20 ppm STEL
		Yukon	No Established Limit

CAS No.	Ingredient	Source	Value
872-50-4	1-methyl-2-pyrrolidone	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	400 mg/m <sup>3</sup> TWA
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	100 ppm TWA; 400 mg/m <sup>3</sup> TWA 125 ppm STEL; 500 mg/m <sup>3</sup> STEL
68476-86-8	Petroleum gases, liquefied	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit

## Exposure controls

<b>Respiratory</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
<b>Eyes</b>	Protective safety glasses recommended
<b>Skin</b>	Avoid skin contact. Protective gloves recommended.
<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.
<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.



## Section 9. Physical and chemical properties

<b>Appearance</b>	Pale straw Pressurized aerosol dispensed as a mist.
<b>Odour</b>	Fishy (amine)
<b>Odour threshold</b>	No available information
<b>pH</b>	No available information
<b>Melting point / freezing point</b>	< -42.8°C / <-45°F
<b>Initial boiling point and boiling range</b>	39.4-204°C / 103-399°F
<b>Flash Point</b>	Not available
<b>Evaporation rate (Ether = 1)</b>	Slow, several hours
<b>Flammability (solid, gas)</b>	Flam. Gas 1;H220 Extremely flammable gas.
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit: 1</b> <b>Upper Explosive Limit: 10</b>
<b>Vapour pressure (Pa)</b>	0 mmHg @ 20 C
<b>Vapour Density</b>	>1
<b>Relative Density</b>	1.15
<b>Solubility in Water</b>	Partially soluble.
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Auto-ignition temperature</b>	No available information
<b>Decomposition temperature</b>	No available information
<b>Viscosity (cSt)</b>	No available information
<b>Oxidising properties</b>	No available information
<b>Explosive properties</b>	No available information
<b>VOC Content</b>	100%

### Other information

No other relevant information.

## Section 10. Stability and reactivity

### Reactivity

Hazardous Polymerization will not occur.

### Chemical stability

Stable under normal circumstances.

### Possibility of hazardous reactions

No available information

### Conditions to avoid

Avoid high temperatures and contact with incompatible material

### Incompatible materials

No available information

### Hazardous decomposition products

No hazardous decomposition data available.

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Gamma-butyrolactone - (96-48-0)	{calcoral}	{CalcDerm}	{CalclnhV}	{CalclnhDM}	{CalclnhG}
1-methyl-2-pyrrolidone - (872-50-4)	{calcoral}	{CalcDerm}	{CalclnhV}	{CalclnhDM}	{CalclnhG}
1-bromopropane - (106-94-5)	{calcoral}	{CalcDerm}	{CalclnhV}	{CalclnhDM}	{CalclnhG}
Petroleum gases, liquefied - (68476-86-8)	{calcoral}	{CalcDerm}	{CalclnhV}	{CalclnhDM}	{CalclnhG}

### Carcinogen Data

CAS No.	Ingredient	Source	Value
96-48-0	Gamma-butyrolactone	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
		ACGIH	No Established Limit
106-94-5	1-bromopropane	IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
		ACGIH	A3
872-50-4	1-methyl-2-pyrrolidone	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
68476-86-8	Petroleum gases, liquefied	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	5	May be harmful if swallowed.
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	1B	May damage the unborn child.
STOT-single exposure	---	Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-single exposure	3	May cause drowsiness or dizziness.
STOT-repeated exposure	2	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	---	Not Applicable

### Possible routes of entry:

No available information

### Symptoms and effects, both acute and delayed:

No specific symptom data available.

Reproductive or genetic defect hazard. Treat symptomatically.

**Inhalation** May cause respiratory irritation. May cause drowsiness or dizziness.

**Eyes** Causes serious eye damage.

**Skin** Causes skin irritation.

**Ingestion** May be harmful if swallowed.

## Section 12. Ecological information

### Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Gamma-butyrolactone - (96-48-0)	{CalcFish}	{CalcCrust}	{CalcAlgae}
1-methyl-2-pyrrolidone - (872-50-4)	{CalcFish}	{CalcCrust}	{CalcAlgae}
1-bromopropane - (106-94-5)	{CalcFish}	{CalcCrust}	{CalcAlgae}
Petroleum gases, liquefied - (68476-86-8)	{CalcFish}	{CalcCrust}	{CalcAlgae}

### Persistence and degradability

There is no data available on the preparation itself.

### Bioaccumulative potential

No available information

### Mobility in soil

No available information

### Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

### Other adverse effects

No available information

## Section 13. Disposal considerations

### Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

## Section 14. Transport information

When shipped in containers of 0.3 gallons (1 L) or less this material may be reclassified in accordance with DOT regulations 49 CFR 173.150 / IATA DGR packing instruction Y341/ IMDG Code 3.4 as: Limited Quantity.

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

	TDG (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
<b>UN number</b>	UN1950	UN1950	UN1950
<b>UN proper shipping name</b>	Aerosols	Aerosols, flammable (each not exceeding 1 L capacity)	Aerosols, flammable
<b>Transport hazard class(es)</b>	<b>Class:2.1</b> <b>Sub Class:</b> Not Applicable	<b>Class:2.1</b> <b>Sub Class:</b> Not Applicable	<b>Class:2.1</b> <b>Sub Class:</b> Not Applicable
<b>Packing group</b>	Not Applicable	Not Applicable	Not Applicable

### Environmental hazards

IMDG Marine Pollutant: No;

### Special precautions for user

No available information

### Section 15. Regulatory information

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17 amended 2022-12-15) and the SDS contains all of the information required by those regulations.

#### **Canadian Domestic Substance List (DSL):**

1-bromopropane

1-methyl-2-pyrrolidone

Gamma-butyrolactone

Petroleum gases, liquefied

#### **Canadian Non-Domestic Substance List (NDSL):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



**Section 16. Other information**

**SDS Revision Date**

06/17/2025

**NFPA**

**Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS**

**Health Hazards**

2

**Flammability**

3

**Physical Hazards**

0

**Personal Protection**

B

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness and dizziness.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

**End of Document**