

Safety Data Sheet

Issue Date: 05-Nov-2018 Revision Date: 01-Nov-2021 Version 2

1. IDENTIFICATION

Product identifier

Product Name Slide Quick RP Rust Preventive Bulk

Other means of identification

SDS # 428RPBULK

Product Code 42801RPB, 42805RPB, 42855RPB

UN/ID No UN1206

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 Wheeling Road Wheeling, IL 60090

Emergency telephone number

Company Phone Number Phone: 1-800-323-6433

Fax: 1-800-756-7986

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical state Liquid

Classification

| Skin corrosion/irritation | Category 2 |
|--|------------|
| Specific target organ toxicity (single exposure) | Category 3 |
| Aspiration toxicity | Category 1 |
| Flammable liquids | Category 2 |

Signal Word Danger

Hazard statements

Causes skin irritation
May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wear protective gloves/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Precautionary Statements - Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|------------------------|------------|----------|
| N-Heptane | 142-82-5 | 75-90 |
| Calcium salts | 68783-96-0 | 1-10 |
| Petroleum, Crude Oil | 8002-05-9 | 1-10 |
| Soy Lecithin | 8002-43-5 | 1-5 |
| Mineral oil (PAH < 3%) | 64741-88-4 | 1-5 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. If skin irritation occurs: Get medical

advice/attention.

Inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison center or

doctor/physician if you feel unwell.

Ingestion Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms May be harmful in contact with skin. Causes skin irritation. May cause drowsiness or

dizziness. May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear

protective gloves/protective clothing and eye/face protection. Keep cool.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------|---------------|--|--|
| N-Heptane | STEL: 500 ppm | TWA: 500 ppm | IDLH: 750 ppm |
| 142-82-5 | TWA: 400 ppm | TWA: 2000 mg/m ³ | Ceiling: 440 ppm 15 min |
| | | (vacated) TWA: 400 ppm | Ceiling: 1800 mg/m ³ 15 min |
| | | (vacated) TWA: 1600 mg/m ³ | TWA: 85 ppm |
| | | (vacated) STEL: 500 ppm | TWA: 350 mg/m ³ |
| | | (vacated) STEL: 2000 mg/m ³ | |
| Petroleum, Crude Oil | - | TWA: 500 ppm | IDLH: 1100 ppm |
| 8002-05-9 | | TWA: 2000 mg/m ³ | Ceiling: 1800 mg/m ³ 15 min |
| | | (vacated) TWA: 400 ppm | TWA: 350 mg/m ³ |
| | | (vacated) TWA: 1600 mg/m ³ | _ |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceNot determinedOdorNot determinedColorNot determinedOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
Not determined
Not determined
Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure Not determined **Vapor Density** Not determined **Relative Density** Not determined Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined Not determined **Explosive Properties**

Oxidizing Properties Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

| Chemical name | ical name Oral LD50 Dermal LD50 | | Inhalation LC50 | |
|--------------------------------------|--|-------------------------|----------------------------------|--|
| N-Heptane 142-82-5 | - | = 3000 mg/kg (Rabbit) | = 103 g/m ³ (Rat) 4 h | |
| Calcium salts 68783-96-0 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 1.9 mg/L (Rat) 4 h | |
| Petroleum, Crude Oil 8002-05-9 | > 5000 mg/kg (Rat) > 4300 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - | |
| Mineral oil (PAH < 3%) 64741-88-4 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5530 mg/m³ (Rat) 4 h | |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

STOT - single exposure May cause drowsiness or dizziness.

Aspiration hazard May be fatal if swallowed and enters airways.

Revision Date: 01-Nov-2021

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 Oral LD50
 5,588.02 mg/kg

 Dermal LD50
 2,925.10 mg/kg

 Gas
 689.40 mg/L

 ATEmix (inhalation-dust/mist)
 24.30 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

| Chemical name | Algae/aquatic plants | Fish | Crustacea | |
|------------------------|--------------------------------|------------------------------------|-------------------------------|--|
| N-Heptane | | 375.0: 96 h Cichlid fish mg/L LC50 | 10: 24 h Daphnia magna mg/L | |
| 142-82-5 | | | EC50 | |
| Calcium salts | 1000: 96 h Pseudokirchneriella | 40: 96 h Pimephales promelas mg/L | 1000: 48 h Daphnia magna mg/L | |
| 68783-96-0 | subcapitata mg/L EC50 | LC50 | EC50 | |
| Petroleum, Crude Oil | | 258: 96 h Salmo gairdneri mg/L | 36: 24 h Daphnia magna mg/L | |
| 8002-05-9 | | LC50 static | EC50 0.26: 48 h Daphnia magna | |
| | | | mg/L EC50 Static | |
| Mineral oil (PAH < 3%) | | 5000: 96 h Oncorhynchus mykiss | 1000: 48 h Daphnia magna mg/L | |
| 64741-88-4 | | mg/L LC50 | EC50 | |

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

| Chemical name | Partition coefficient |
|---------------|-----------------------|
| N-Heptane | 4.66 |
| 142-82-5 | |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

| Camorina Hazardodo Waste Otatas | |
|---------------------------------|-----------------------------------|
| Chemical name | California Hazardous Waste Status |
| N-Heptane | Toxic |
| 142-82-5 | Ignitable |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1206

Proper Shipping Name Heptanes Solution

Hazard class 3
Packing Group II

<u>IATA</u>

UN number UN1206

Proper Shipping Name Heptanes Solution

Transport hazard class(es) 3
Packing Group ||

<u>IMDG</u>

UN number UN1206

Proper Shipping Name Heptanes Solution

Transport hazard class(es) 3
Packing Group II
Marine Pollutant Yes

15. REGULATORY INFORMATION

International Inventories

| Chemical name | TSCA | DSL/NDSL | EINECS/E LINCS | ENCS | IECSC | KECL | PICCS | AICS |
|------------------------|------|----------|-------------------|------|-------|------|-------|------|
| N-Heptane | Х | Х | Х | Х | Х | Х | Х | Х |
| Calcium salts | Х | Х | Х | Х | Х | Х | Х | Х |
| Petroleum, Crude Oil | Х | Х | Х | | Х | Х | Х | Х |
| Soy Lecithin | Х | Х | Х | | Х | Х | Х | Х |
| Mineral oil (PAH < 3%) | Х | Х | Х | | Х | Х | Х | Х |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|----------------------------------|-----------|----------|----------------------------------|
| Petroleum, Crude Oil - 8002-05-9 | 8002-05-9 | 1-10 | 0.1 |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------------|------------|---------------|--------------|
| N-Heptane 142-82-5 | X | X | X |
| Petroleum, Crude Oil 8002-05-9 | Х | X | Х |

16. OTHER INFORMATION

Health Hazards Instability Special Hazards NFPA **Flammability** Not determined Not determined Not determined Not determined **Personal Protection Health Hazards Flammability** Physical hazards **HMIS** 3 Consult your supervisor

Consult your superviso for special handling instructions.

Revision Date: 01-Nov-2021

Issue Date:05-Nov-2018Revision Date:01-Nov-2021Revision Note:Regulatory Update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet