

1. IDENTIFICATION

Product identifier

Product Name Slide Mold shield "Dry" Rust Preventive

Other means of identification

SDS # 42910PC

Product Code 42910PC
Synonyms None

UN/ID No UN1950

Recommended use of the chemical and restrictions on use

Recommended Use Industrial rust preventive

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial supplier identifier

THIS SAFETY DATA SHEET
 IS NOT COMPLIANT UNLESS
 CANADIAN ADDRESS IS USED
 Contact Local Canadian Distributor
 For Compliant SDS

Manufacturer Address

Slide Products Inc.
 430 Wheeling Road
 Wheeling, IL 60090
 Phone: 1-847-541-7220
 Fax: 1-847-541-7986

Emergency telephone number

Initial supplier phone number Please enter Initial Suppliers Phone Number here
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid in an aerosol **Physical state** Aerosol

Classification

Skin corrosion/irritation	Category 2
Specific target organ toxicity (STOT) — single exposure	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

Signal word

Danger

Hazard statements

Causes skin irritation
May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Extremely flammable aerosol
Contains gas under pressure; may explode if heated

**Precautionary Statements - Prevention**

Wear protective gloves, protective clothing, eye protection, and face protection
Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust, fume, gas, mist, vapours, or spray
Use only outdoors or in a well-ventilated area
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Do not spray on an open flame or other ignition source
Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of water and soap
Take off all contaminated clothing and wash it before reuse
If skin irritation occurs: Get medical advice/attention
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTRE, doctor or physician if you feel unwell
IF SWALLOWED: Immediately call a POISON CENTER or doctor
Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other Information

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Heptane	142-82-5	45-70	-	-
Propane	68476-86-8	10-30	-	-
Petroleum distillates (naphtha)	8002-05-9	1-5	-	-
Calcium salts	68783-96-0	1-5	-	-
Soy Lecithin	8002-43-5	0.1-1	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	If exposed or concerned: Get medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash with soap and water. If skin irritation persists, call a doctor.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen.
Ingestion	Do NOT induce vomiting. Drink plenty of water or milk immediately. Call a doctor immediately.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritating to mouth, throat, and stomach if ingested. Overexposure by inhalation can cause headaches, nausea, dizziness, decreased blood pressure. Causes skin irritation and defatting of skin with repeated/prolonged contact. Exposed individuals may experience eye tearing, redness and discomfort.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media	Carbon dioxide (CO ₂). Foam. Dry chemical. Water spray or fog.
Unsuitable extinguishing media	Not determined.
Specific hazards arising from the chemical	Pressurised container: May burst if heated. Aerosols may rupture violently at temperatures above 120 F. Vapours can form explosive mixtures with air. Aerosol flame projection test: >18" extension at 70 F.
Hazardous combustion products	Carbon oxides.
Explosion Data	
Sensitivity to Mechanical Impact	None.

Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Keep in suitable, closed containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection recommended in Section 8. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours, or spray. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from direct sunlight. Keep away from heat. Do not store at temperatures above 120°F.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Heptane 142-82-5	TWA: 400 ppm TWA: 1640 mg/m ³ STEL: 500 ppm STEL: 2050 mg/m ³	TWA: 400 ppm STEL: 500 ppm	TWA: 400 ppm STEL: 500 ppm	TWA: 400 ppm TWA: 1640 mg/m ³ STEL: 500 ppm STEL: 2050 mg/m ³

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection	Safety glasses.
Skin and body protection	Protective gloves are not required but recommended.
Respiratory protection	If necessary, refer to appropriate regulations and standards.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	Aerosol
Appearance	Clear liquid in an aerosol
Colour	Not determined
Odour	Not determined
Odour Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting point / freezing point	Not determined	
Boiling point / boiling range	70 °C / 158 °F	
Flash point	Not available	
Evaporation Rate	Faster than ether	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	7.5%	
Lower flammability or explosive limits	1.2%	
Vapour Pressure	137 mm Hg	
Vapour Density	Heavier than air	
Relative Density	0.6288	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	Not determined.	
Oxidising properties	Not determined.	

Other information

Softening Point	Not determined
Molecular weight	Not determined
VOC Content (%)	Not determined
Liquid Density	Not determined
Bulk density	Not determined

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.

Conditions to Avoid Avoid temperatures above 120°F. Do not puncture or incinerate cans.

Incompatible materials None known based on information supplied.

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact Avoid contact with eyes.

Skin contact May be harmful in contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5,005.00

ATEmix (dermal) 2,933.40

ATEmix (inhalation-dust/mist) 34.10

Unknown acute toxicity No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane 142-82-5	-	= 3000 mg/kg (Rabbit)	= 103 g/m ³ (Rat) 4 h
Petroleum distillates (naphtha) 8002-05-9	> 5000 mg/kg (Rat) > 4300 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Calcium salts 68783-96-0	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 1.9 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates (naphtha) 8002-05-9	A2	Group 3	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

STOT - single exposure May cause drowsiness or dizziness.

Aspiration hazard May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Heptane 142-82-5	-	375.0: 96 h Cichlid fish mg/L LC50	-	10: 24 h Daphnia magna mg/L EC50

Persistence/Degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Heptane 142-82-5	4.66
Propane 68476-86-8	<=2.8

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard class 2.1

TDG

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard class 2.1

MEX

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard class 2.1

IATA

UN number UN1950
 Proper Shipping Name Aerosols, flammable
 Transport hazard class(es) 2.1

IMDG

UN number UN1950
 Proper Shipping Name Aerosols
 Transport hazard class(es) 2.1
 Marine Pollutant Heptane

15. REGULATORY INFORMATION

REGULATORY INFORMATION**International Regulations**

Ozone-depleting substances (ODS) Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Chemical name	TSCA	DSL/NDL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Heptane	X	X	X	X	X	X	X	X
Propane	X	X	X		X	X	X	X
Petroleum distillates (naphtha)	X	X	X		X	X	X	X
Calcium salts	X	X	X	X	X	X	X	X
Soy Lecithin	X	X	X		X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards 1	Flammability 4	Physical hazards 0	Personal Protection B
<i>Chronic Hazard Star Legend</i>	* = <i>Chronic Health Hazard</i>			

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation

Revision Date: 01-Feb-2019

Revision Note: Updated classification

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet