

1. Identification

Product identifier

Product Name Slide Mold Shield "Dry" Rust Preventive

Other means of identification

SDS # 42910P-MX

Product Code 42910P

Recommended use of the chemical and restrictions on use

Recommended Use Industrial rust preventive

Details of the supplier of the safety data sheet

Manufacturer Address

Slide Products Inc.
430 Wheeling Road
Wheeling, IL 60090
Phone: 1-847-541-7220
Fax: 1-847-541-7986

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. Hazard(s) identification

Classification

Acute toxicity - Dermal	Category 5 - (H313)
Skin corrosion/irritation	Category 2 - (H315)
Reproductive toxicity	Category 2 -(H361)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Aspiration hazard	Category 1 - (H304)
Flammable aerosols	Category 1 -(H222)
Gases under pressure	Compressed gas -(H280)

Label elements

Signal word

Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways
H313 - May be harmful in contact with skin
H315 - Causes skin irritation
H336 - May cause drowsiness or dizziness
H361 - Suspected of damaging fertility or the unborn child
H222 - Extremely flammable aerosol
H280 - Contains gas under pressure; may explode if heated



Exclamation mark
Health hazard
Flame
Gas cylinder

Precautionary Statements - Prevention

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P264 - Wash face, hands and any exposed skin thoroughly after handling
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P211 - Do not spray on an open flame or other ignition source
P251 - Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P362 + P364 - Take off contaminated clothing and wash it before reuse
P332 + P313 - If skin irritation occurs: Get medical advice/attention

Inhalation

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 - Call a POISON CENTER or doctor if you feel unwell

Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting

Precautionary Statements - Storage

P405 - Store locked up
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Very toxic to aquatic life with long lasting effects

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Heptane	142-82-5	60-70
Propane	68476-86-8	25-35
Petroleum distillates (naphtha)	8002-05-9	1-5
Calcium salts	68783-96-0	1-5
Soy Lecithin	8002-43-5	1-3

4. First-aid measures

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash with soap and water. If skin irritation persists, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water or milk immediately. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms.	Irritating to mouth, throat, and stomach if ingested Overexposure by inhalation can cause headaches, nausea, dizziness, decreased blood pressure Causes skin irritation and defatting of skin with repeated/prolonged contact Exposed individuals will experience eye tearing, redness and discomfort
------------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. Fire-fighting measures

Suitable Extinguishing Media	Carbon dioxide (CO ₂). Foam. Dry chemical. Water spray or fog.
Unsuitable extinguishing media	Not determined.
Specific hazards arising from the chemical	Pressurized container: May burst if heated. Aerosols may rupture violently at temperatures above 120 F. Vapors can form explosive mixtures with air. Aerosol flame projection test: >18" extension at 70 F.
Hazardous combustion products	Carbon oxides.
Explosion Data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

Special protective actions for firefighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Keep in suitable, closed containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from direct sunlight. Keep away from heat. Do not store at temperatures above 120°F.

8. Exposure controls/personal protection

Control parameters

Exposure Limits NOM-010-STPS-2014.

Chemical name	TWA	STEL	Ceiling Limit Value
Heptane 142-82-5	400 ppm 1600 mg/m ³	500 ppm 2000 mg/m ³	-

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin and body protection Protective gloves are not required, but recommended.

Respiratory protection If necessary, refer to appropriate regulations and standards.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Aerosol
Appearance	Clear liquid in an aerosol
Color	Not determined
Odor	Not determined
Odor Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Boiling point / boiling range	70 °C / 158 °F	
Flash point	Not available	
Evaporation Rate	Faster than ether	
Flammability (Solid, Gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	7.5%	
Lower flammability or explosive limits	1.2%	
Vapor Pressure	137 mm Hg	
Vapor Density	Heavier than air	
Relative Density	0.6288	
Water Solubility	No data available	
Solubility in other solvents	No data available	
Partition Coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic Viscosity	No data available	

Other information

Oxidizing properties	No data available
Explosive properties	No data available
Molecular weight	No data available
Liquid Density	No data available
Bulk density	No data available

10. Stability and reactivity

Reactivity Not reactive under normal conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Avoid temperatures above 120°F. Do not puncture or incinerate cans.

Incompatible materials None known based on information supplied.

Hazardous decomposition products Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Do not inhale.
Eye contact	Avoid contact with eyes.
Skin contact	May be harmful in contact with skin.
Ingestion	Do not ingest.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal)	4,316.80 mg/kg
ATEmix (inhalation-dust/mist)	158.50 mg/l

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity
 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane 142-82-5	-	= 3000 mg/kg (Rabbit)	= 103 g/m ³ (Rat) 4 h
Petroleum distillates (naphtha) 8002-05-9	> 5000 mg/kg (Rat) > 4300 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Calcium salts 68783-96-0	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 1.9 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Interactive effects	Not classified.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Not classified.
Respiratory or skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	Mexico
Petroleum distillates (naphtha) 8002-05-9	A2	Group 3	Known	A2

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Mexico - Secretary of Labor and Social Prevention Official Mexican Norm NOM-010-STPS-2014 Carcinogens

A2 - Suspected Human Carcinogen

Reproductive toxicity Suspected of damaging fertility or the unborn child.**STOT - single exposure** May cause drowsiness or dizziness.**STOT - repeated exposure** Not classified.**Aspiration hazard** May be fatal if swallowed and enters airways.**Other information** Not classified.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Heptane 142-82-5	-	375.0: 96 h Cichlid fish mg/L LC50	-	10: 24 h Daphnia magna mg/L EC50

Persistence/Degradability No data available.**Bioaccumulation** There is no data for this product.**Component Information**

Chemical name	Partition coefficient
Heptane 142-82-5	4.66
Propane 68476-86-8	<=2.8

Other Adverse Effects No data available.

13. Disposal considerations

Waste Treatment Methods**Waste from residues/unused products** Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.**Contaminated packaging** Do not reuse empty containers.

14. Transport information

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

MEX

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard class 2.1

TDG

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard class 2.1

DOT

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard class 2.1

IATA

UN number UN1950
 Proper Shipping Name Aerosols, flammable
 Transport hazard class(es) 2.1

IMDG

UN number UN1950
 Proper Shipping Name Aerosols
 Transport hazard class(es) 2.1
 Marine Pollutant Heptane

15. Regulatory information

REGULATORY INFORMATION**International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Chemical name	TSCA	DSL/NDS L	EINECS/ ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Heptane	X	X	X	X	X	X	X	X
Propane	X	X	X		X	X	X	X
Petroleum distillates (naphtha)	X	X	X		X	X	X	X
Calcium salts	X	X	X	X	X	X	X	X
Soy Lecithin	X	X	X		X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

16. Other information				
------------------------------	--	--	--	--

<u>NFPA</u>	Health hazards Not determined	Flammability Not determined	Instability Not determined	Physical and chemical properties Not determined
<u>HMIS</u>	Health hazards 1	Flammability 4	Physical hazards 0	Personal protection B

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 RTECS (Registry of Toxic Effects of Chemical Substances)
 World Health Organization

Issue Date: 11-Sep-2018

Revision Date: 25-Oct-2018

Revision Note: New format.

NOM-018-STPS-2015

The information is believed to be accurate, but it is not exhaustive and must be used only as guidance. It is based on the current state of knowledge of the chemical substance or mixture and is applicable to the appropriate safety precautions for the product.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet