

Safety Data Sheet

Issue Date: 07-Sep-2018

Revision Date: 01-Feb-2019

Version 2

1. IDENTIFICATION

Product identifier Product Name	Slide Acid Vapor Neutralizer Rust Preventive		
Other means of identification SDS #	44011P		
UN/ID No	UN1950		
Recommended use of the chemical and restrictions on useRecommended UseIndustrial Rust Preventive			
Details of the supplier of the safety Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090	<u>data sheet</u>		
<u>Emergency telephone number</u> Company Phone Number	Phone: 1-847-541-7220		

Emergency Telephone

Phone: 1-847-541-7220 Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical state Aerosol

Classification

Skin corrosion/irritation Category 2	
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

<u>Signal Word</u> Danger

Hazard statements

Causes skin irritation May cause respiratory irritation. May cause drowsiness or dizziness May be fatal if swallowed and enters airways Extremely flammable aerosol Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Wear protective gloves, protective clothing, eye protection, and face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust, fume, gas, mist, vapors, or spray Use only outdoors or in a well-ventilated area Keep away from heat, sparks, open flames, and hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation occurs; Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Heptane	142-82-5	50-75
Petroleum gases, liquified, sweetened	68476-86-8	25-35
Petroleum distillates (naphtha)	8002-05-9	3-12
Calcium salts	68783-96-0	3-12
Soy Lecithin	8002-43-5	1-3

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST AID MEASURES

Description of first aid measures Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Ingestion	Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

SymptomsMay be harmful in contact with skin. Causes skin irritation. May cause respiratory irritation.
May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable aerosol. Pressurized container: May burst if heated.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
-------------------------	---

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wear protective gloves/protective clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust, fume, gas, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. Keep away from heat, sparks, open flames, and hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}C/122^{\circ}F$.
Incompatible Materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m ³	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 1600 mg/m ³	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m ³
		(vacated) STEL: 2000 mg/m ³	-
Petroleum distillates (naphtha)	-	TWA: 500 ppm	IDLH: 1100 ppm
8002-05-9		TWA: 2000 mg/m ³	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 400 ppm	TWA: 350 mg/m ³
		(vacated) TWA: 1600 mg/m ³	5

Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Aerosol Not determined Not determined
Property_	Values
рН	Not determined
Melting point / freezing point	Not determined
Boiling point / boiling range	Not determined
Flash point	Not determined
Evaporation Rate	Not determined
Flammability (Solid, Gas)	Not determined
Flammability Limit in Air	
Upper flammability or explosive	Not determined
limits	
Lower flammability or explosive	Not determined
limits	
Vapor Pressure	Not determined
Vapor Density	Not determined
Relative Density	Not determined
Water Solubility	Not determined
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined Not determined
Kinematic viscosity	
Dynamic Viscosity Explosive Properties	Not determined Not determined
Oxidizing Properties	Not determined
Unidizing Fropences	

Odor Odor Threshold Not determined Not determined

Remarks • Method

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane 142-82-5	-	= 3000 mg/kg (Rabbit)	= 103 g/m³ (Rat) 4 h
Calcium salts 68783-96-0	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 1.9 mg/L (Rat) 4 h
Petroleum distillates (naphtha) 8002-05-9	> 5000 mg/kg (Rat) > 4300 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Causes skin irritation.

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates (naphtha) 8002-05-9	A2	Group 3	Known	X

Legend

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A2 - Suspected Human Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 3 IARC components are "not classifiable as human carcinogens"

 NTP (National Toxicology Program)

 Known - Known Carcinogen

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 STOT- single exposure

 May cause respiratory irritation. May cause drowsiness or dizziness.

 Aspiration hazard

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

Oral LD50	5,005.00 mg/kg
Dermal LD50	2,574.20 mg/kg
ATEmix (inhalation-dust/mist)	7.12 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Heptane 142-82-5		375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L EC50
Calcium salts 68783-96-0	1000: 96 h Pseudokirchneriella subcapitata mg/L EC50	40: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum distillates (naphtha) 8002-05-9		258: 96 h Salmo gairdneri mg/L LC50 static	36: 24 h Daphnia magna mg/L EC50 0.26: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

<u>Mobility</u>

Chemical name	Partition coefficient
Heptane 142-82-5	4.66
Petroleum gases, liquified, sweetened 68476-86-8	<=2.8

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name		California Hazardous Waste Status		
Heptane		Toxic		
142-82-5		Ignitable		
	14. TRANSPOR	TINFORMATION		
<u>Note</u>	Please see current shipp exemptions and special c	ing paper for most up to date shipping information, including vircumstances.		
DOT				
UN/ID No	UN1950			
Proper Shipping Name	Aerosols			
Hazard class	2.1			
ΙΑΤΑ				
UN number	UN1950			
Proper Shipping Name	Aerosols, flammable			
Transport hazard class(es)	2.1			
IMDG				
UN number	UN1950			
Proper Shipping Name	Aerosols			
Transport hazard class(es)	2.1			
Marine Pollutant	Heptane			

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Heptane	Х	Х	Х	Х	Х	Х	Х	Х
Petroleum gases, liquified, sweetened	Х	Х	Х		Х	Х	Х	Х
Calcium salts	Х	Х	Х	Х	Х	Х	Х	Х
Petroleum distillates (naphtha)	Х	Х	Х		Х	Х	Х	Х
Lecithin	Х	Х	Х		Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

<u>SARA 313</u>

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Petroleum distillates (naphtha) - 8002-05-9	8002-05-9	3-12	0.1

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Heptane	Х	X	Х
142-82-5			
Petroleum distillates (naphtha)	Х	X	Х
8002-05-9			

16. OTHER INFORMATION					
<u>NFPA</u>	Health Hazards	Flammability Not determined	Instability Not determined	Special Hazards Not determined	
HMIS_	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined	
Issue Date: Revision Date: Revision Note:	07-Sep-2018 01-Feb-2019 Updated classification				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet