

# Safety Data Sheet

Issue Date: 05-Nov-2018

Revision Date: 01-Nov-2021

Version 2

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	Slide Acid Vapor Neutralizer Bulk		
Other means of identification SDS #	440PBULK		
Product Code UN/ID No	44001PB, 44005PB, 44055PB UN1206		
Recommended use of the chemical and restrictions on useRecommended UseFor industrial use.			
Details of the supplier of the safety data sheet Supplier Address Slide Products Inc. 430 Wheeling Road Wheeling, IL 60090			

# Emergency telephone number

Company Phone Number

Emergency Telephone

Phone: 1-800-323-6433 Fax: 1-800-756-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

# Physical state Liquid

## **Classification**

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable liquids	Category 2

#### Signal Word Danger

# Hazard statements

Causes skin irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways Highly flammable liquid and vapor



## **Precautionary Statements - Prevention**

Wear protective gloves/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

# Precautionary Statements - Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse If skin irritation occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

## Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Very toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
N-Heptane	142-82-5	60-80
Calcium salts	68783-96-0	1-15
Petroleum, Crude Oil	8002-05-9	1-15
Soy Lecithin	8002-43-5	1-5
Mineral oil (PAH < 3%)	64741-88-4	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

#### Description of first aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

Ingestion Most important symptoms and eff	Immediately call a poison center or doctor/physician. Do NOT induce vomiting. ects, both acute and delayed		
Symptoms	May be harmful in contact with skin. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.		
Indication of any immediate medio	cal attention and special treatment needed		
Notes to Physician	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media Use extinguishing measures that are	appropriate to local circumstances and the surrounding environment.		
Unsuitable Extinguishing Med	ia Not determined.		
Specific Hazards Arising from the Highly flammable liquid and vapor.	<u>Chemical</u>		
Protective equipment and precaut As in any fire, wear self-contained be protective gear.	ions for firefighters reathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective	equipment and emergency procedures		
Personal Precautions	Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for contain	nent and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Clean-Up	Keep in suitable, closed containers for disposal.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on Safe Handling	Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep awa from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear protective gloves/protective clothing and eye/face protection. Keep cool.		
Conditions for safe storage, inclue	ding any incompatibilities		
Storage Conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed.		
Incompatible Materials	None known based on information supplied.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 1600 mg/m <sup>3</sup>	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) STEL: 2000 mg/m <sup>3</sup>	
Petroleum, Crude Oil	-	TWA: 500 ppm	IDLH: 1100 ppm
8002-05-9		TWA: 2000 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 400 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 1600 mg/m <sup>3</sup>	

# Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

## Individual protection measures, such as personal protective equipment

Eye/Face Protection	Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
<b>Respiratory Protection</b>	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Not determined
Color	Not determined
Property_	<u>Values</u>
рН	Not determined
Melting point / freezing point	Not determined
Boiling point / boiling range	98°C / 208°F
Flash point	-4°C / 25°F
Evaporation Rate	Not determined
Flammability (Solid, Gas)	Not determined
Flammability Limit in Air	
Upper flammability or explosive	Not determined
limits	
Lower flammability or explosive	Not determined
limits	
Vapor Pressure	Not determined
Vapor Density	Not determined
Relative Density	Not determined
Water Solubility	Not determined
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined

Odor Odor Threshold Not determined Not determined

Remarks · Method

#### Oxidizing Properties

Not determined 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### Chemical stability

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

# Conditions to Avoid

Keep out of reach of children.

#### **Incompatible materials**

None known based on information supplied.

## Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product	Information
---------	-------------

Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
N-Heptane	-	= 3000 mg/kg (Rabbit)	= 103 g/m <sup>3</sup> (Rat) 4 h
142-82-5			
Calcium salts	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 1.9 mg/L (Rat)4 h
68783-96-0			
Petroleum, Crude Oil	> 5000 mg/kg (Rat) > 4300 mg/kg	> 2000 mg/kg (Rabbit)	-
8002-05-9	(Rat)		
Mineral oil (PAH < 3%)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m³ (Rat)4 h
64741-88-4			- , ,

## Symptoms related to the physical, chemical and toxicological characteristics

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
STOT - single exposure	May cause drowsiness or dizziness.
Aspiration hazard	May be fatal if swallowed and enters airways.

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50	5,588.02 mg/kg
Dermal LD50	2,925.10 mg/kg
Gas	689.40 mg/L
ATEmix (inhalation-dust/mist)	24.30 mg/L

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

#### **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
N-Heptane 142-82-5		375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L EC50
Calcium salts 68783-96-0	1000: 96 h Pseudokirchneriella subcapitata mg/L EC50	40: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum, Crude Oil 8002-05-9		258: 96 h Salmo gairdneri mg/L LC50 static	36: 24 h Daphnia magna mg/L EC50 0.26: 48 h Daphnia magna mg/L EC50 Static
Mineral oil (PAH < 3%) 64741-88-4		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### Mobility

Chemical name	Partition coefficient
N-Heptane	4.66
142-82-5	

#### Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
N-Heptane	Toxic
142-82-5	Ignitable

# **14. TRANSPORT INFORMATION**

<u>Note</u>

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT UN/ID No Proper Shipping Name Hazard class Packing Group	UN1206 Heptanes Solution 3 II
IATA UN number Proper Shipping Name Transport hazard class(es) Packing Group	UN1206 Heptanes Solution 3 II
<u>IMDG</u> UN number Proper Shipping Name Transport hazard class(es)	UN1206 Heptanes Solution 3

# **15. REGULATORY INFORMATION**

#### International Inventories

**Packing Group** 

**Marine Pollutant** 

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
N-Heptane	Х	Х	Х	Х	Х	Х	Х	Х
Calcium salts	Х	Х	Х	Х	Х	Х	Х	Х
Petroleum, Crude Oil	Х	Х	Х		Х	Х	Х	Х
Soy Lecithin	Х	Х	Х		Х	Х	Х	Х
Mineral oil (PAH < 3%)	Х	Х	Х		Х	Х	Х	Х

#### Legend:

 $\textbf{TSCA} \ \ \text{-United States Toxic Substances Control Act Section 8(b) Inventory}$ 

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Ш

Yes

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

# <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Petroleum, Crude Oil - 8002-05-9	8002-05-9	1-10	0.1

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
N-Heptane 142-82-5	Х	Х	Х
Petroleum, Crude Oil	X	X	X
8002-05-9			

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards	Flammability
	Not determined	Not determined
HMIS	Health Hazards	Flammability
	2	3

Instability Not determined Physical hazards 0 Special Hazards Not determined Personal Protection X Consult your supervisor for special handling instructions.

Issue Date: Revision Date: Revision Note: 05-Nov-2018 01-Nov-2021 Regulatory Update

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet