



Section 1. Identification

Product identifier 45310

Product Identity Zero Film Mold Cleaner
Other means of identification Zero Film Mold Cleaner

Relevant identified uses of the substance or mixture and uses advised against

Industrial Mold Cleaner

Details of the supplier of the safety data sheet

Company Name Slide Products Inc.
430 Wheeling Road
Wheeling, IL 60090

Emergency

24 hour Emergency Telephone No. Emergency Telephone INFOTRAC 1-352-323-3500
(International)
1-800-535-5053 (North America)

Customer Service: Phone: 1-847-541-7220
Fax: 1-847-541-7986

Section 2. Hazard(s) identification

Classification of the substance or mixture

| | |
|------------------|---|
| Flam. Gas 1;H220 | Extremely flammable gas. |
| Press. Gas;H280 | Contains gas under pressure; may explode if heated. |
| Eye Dam. 2A;H319 | Causes serious eye irritation. |
| {PCField5d} | May cause drowsiness or dizziness. |

Label elements**Danger**

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

[Prevention]:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No Smoking.

P233 Keep container tightly closed.

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, eye protection, and face protection.

[Response]:

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P337+313 If eye irritation persists: Get medical advice or attention.

P377 Leaking gas fire - do not extinguish unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+403 Protect from sunlight. Store in a well ventilated place.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the NOM-018-STPS-2015 Regulation.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|--|----------|--|-------|
| Acetone CAS Number: 67-64-1 | 65 - 85 | Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336 | ---- |
| Petroleum gases, liquefied CAS Number: 68476-86-8 | 10 - 30 | Press. Gas;H280 Flam. Gas 1;H220 | ---- |

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically. See section 2 for further details.

Eyes Causes serious eye irritation.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.
Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking.
Keep container tightly closed.
Avoid breathing dust, fume, gas, mist, vapours, spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8.
Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.
See section 2 for further details. - [Prevention]:

Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information
See section 2 for further details. - [Storage]:

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

| CAS No. | Ingredient | Source | Value |
|------------|----------------------------|--------------------------|---|
| 67-64-1 | Acetone | ACGIH | TWA: 250 ppm STEL: 500 ppm |
| | | DNEL Local Exposure | No Established Limit |
| | | DNEL Systematic Exposure | No Established Limit |
| | | National | 500 ppm TWA VLE-PPT 750 ppm STEL [PPT-CT] |
| 68476-86-8 | Petroleum gases, liquefied | ACGIH | No Established Limit |
| | | DNEL Local Exposure | No Established Limit |
| | | DNEL Systematic Exposure | No Established Limit |
| | | National | No Established Limit |

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Avoid skin contact. Protective gloves recommended.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
See section 2 for further details.

Section 9. Physical and chemical properties

| | |
|--|--|
| Appearance | Pressurized aerosol dispensed as a mist. |
| Odor | No available information |
| Odor threshold | No available information |
| pH | No available information |
| Melting point / freezing point | No available information |
| Initial boiling point and boiling range | 56.1°C / 133°F |
| Flash Point | -20°C / -4°F, Test method: (Open/Close cup) |
| Evaporation rate (Ether = 1) | No available information |
| Flammability (solid, gas) | Gas |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: No available information Upper Explosive Limit: No available information |
| Vapour pressure (Pa) | No available information |
| Vapour Density | No available information |
| Relative Density | No available information |
| Solubility in Water | No available information |
| Partition coefficient n-octanol/water (Log Kow) | No available information |
| Auto-ignition temperature | No available information |
| Decomposition temperature | No available information |
| Viscosity (cSt) | No available information |
| Oxidising properties | No available information |
| Explosive properties | No available information |

Other information

No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information

Conditions to avoid

Avoid high temperatures and contact with incompatible material

Incompatible materials

No available information

Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation vapour LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|---|------------------------------|---------------------------------|----------------------------------|-------------------------------------|--------------------------|
| Acetone - (67-64-1) | 5,800.00, Rat - Category: NA | 7,426.00, Rabbit - Category: NA | 76.00, Rat - Category: NA | 50.10, Rat - Category: NA | No data available. |
| Petroleum gases, liquefied - (68476-86-8) | No data available. | No data available. | No data available. | No data available. | No data available. |



Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|------------|----------------------------|--------|----------------------|
| 67-64-1 | Acetone | IARC | No |
| | | ACGIH | A4 |
| 68476-86-8 | Petroleum gases, liquefied | IARC | No |
| | | ACGIH | No Established Limit |

| Classification | Category | Hazard Description |
|-------------------------------|----------|------------------------------------|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | --- | Not Applicable |
| Serious eye damage/irritation | 2A | Causes serious eye irritation. |
| Respiratory sensitization | --- | Not Applicable |
| Skin sensitization | --- | Not Applicable |
| Germ cell mutagenicity | --- | Not Applicable |
| Carcinogenicity | --- | Not Applicable |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | --- | Not Applicable |
| STOT-single exposure | 3 | May cause drowsiness or dizziness. |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |

Possible routes of entry:

Inhalation, ingestion, skin contact, and skin absorption.

Symptoms and effects, both acute and delayed:

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically.

Inhalation

May cause drowsiness or dizziness.

Eyes

Causes serious eye irritation.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/L | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L |
|---|-------------------------------|----------------------------|---|
| Acetone - (67-64-1) | 8,120.00, Pimephales promelas | 8,800.00, Daphnia pulex | 7,000.00, Pseudokirchneriella subcapitata |
| Petroleum gases, liquefied - (68476-86-8) | No data available. | No data available. | No data available. |

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information

When shipped in containers of 0.3 gallons (1 L) or less this material may be reclassified in accordance with DOT regulations 49 CFR 173.150 / IATA DGR packing instruction Y341/ IMDG Code 3.4 as: Limited Quantity.

| | SCT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|-----------------------------------|---|---|---|
| UN number | UN1950 | UN1950 | UN1950 |
| UN proper shipping name | Aerosols | Aerosols, flammable (each not exceeding 1 L capacity) | Aerosols, flammable |
| Transport hazard class(es) | Class: 2.1 Sub Class: Not Applicable | Class: 2.1 Sub Class: Not Applicable | Class: 2.1 Sub Class: Not Applicable |
| Packing group | Not Applicable | Not Applicable | Not Applicable |

Environmental hazards

IMDG Marine Pollutant: No;

Special precautions for user

No available information

Section 15. Regulatory information

This product has been classified in accordance with the hazard criteria of NOM-018-STPS-2015 and the SDS contains the information required by those regulations.

Mexico - National Inventory of Chemical Substances (INSQ):

- Acetone
- Petroleum gases, liquefied

Section 16. Other information

SDS Revision Date 23 April, 2026

| | | | | |
|--------------------|---|---------------------------------------|--------------------------------------|--|
| <u>NFPA</u> | Health Hazards Not determined | Flammability Not determined | Instability Not determined | Special Hazards Not determined |
| <u>HMIS</u> | Health Hazards 0 | Flammability 4 | Physical Hazards 0 | Personal Protection B |

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness and dizziness.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document