

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 01-Jan-2015 Version 2

1. IDENTIFICATION

Product Identifier

Product Name Pure Eze Mold Release cylinder

Other means of identification

SDS # 45735N

Product Code45735NSynonymsSlide Pure Eze

Severely Hydrotreated Paraffinic White Oil.

UN/ID No UN1954

Other Information Formula: 53374.

Recommended use of the chemical and restrictions on use
Recommended Use Industrial mold release.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, oily, colorless liquid Physical State Aerosol Odor No odor

Classification

Flammable Aerosols Category 2

Signal Word Warning

Hazard Statements

Flammable Aerosol



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Slide Pure Eze

Severely Hydrotreated Paraffinic White Oil.

Chemical Name	CAS No	Weight-%
Dimethyl ether	115-10-6	55-65
1,1 difluoroethane	75-37-6	30-40
Mineral Oil	8042-47-5	1-7

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Call a physician immediately.

Skin Contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms Inhalation symptoms may include dizziness and headache. Nausea. Concentrated spray

may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.

Revision Date: 01-Jan-2015

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Aerosols may rupture violently at temperatures above 120 F. >18 inch flame extension as determined by the aerosol flame projection test (paragraph 191.15).

Hazardous Combustion Products Hydrogen fluoride and other fluorine compounds.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Remove leaking container to outside disposal site. Remove all sources of ignition.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an

open flame or other ignition source. Pressurized container: Do not pierce or burn, even after

Revision Date: 01-Jan-2015

use. Do not drop, puncture, or incinerate. Do not spray on floors.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to

temperatures exceeding 50 °C/122°F. Protect from direct sunlight.

Incompatible Materials Powdered or alkaline earth metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Threshold Limit Value: 1000 ppm

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Proper eye care is needed in all industrial operations.

Skin and Body Protection Protective gloves are not required, but recommended.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol

AppearanceClear, oily, colorless liquidOdorNo odor

Color Colorless Odor Threshold Not determined

Revision Date: 01-Jan-2015

Property Values Remarks • Method

Not determined pН < -29 °C / <-20 °F **Melting Point/Freezing Point Boiling Point/Boiling Range** Not available Flash Point Not applicable **Evaporation Rate** Not available Flammability (Solid, Gas) Flammable aerosol **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined

Vapor Pressure Nil

Vapor Density Not available (Air=1)**Specific Gravity** 0.81 (Water = 1)

Water Solubility Nil

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Density Weight per gallon: 6.79

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

High heat or open flames.

Incompatible Materials

Powdered or alkaline earth metals.

Hazardous Decomposition Products

Hydrogen fluoride and other fluorine compounds.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Revision Date: 01-Jan-2015

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether	-	-	= 308.5 mg/L (Rat) 4 h
115-10-6			
Mineral Oil	> 5000 mg/kg (Rat)	-	-
8042-47-5			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mineral Oil		10000: 96 h Lepomis		
8042-47-5		macrochirus mg/L LC50		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Dimethyl ether 115-10-6	-0.18
Mineral Oil 8042-47-5	6

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of Wastes**

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

45735N - Pure Eze Mold Release cylinder

Revision Date: 01-Jan-2015

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Domestic Ground transportation only

UN1954

Proper Shipping Name Compressed gas, flammable, n.o.s. (Dimethyl Ether, 1,1 difluoroethane)

Hazard Class 2.1

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	Present	Χ		Present		Present	Χ	Present	Χ	Χ
1,1 difluoroethane	Present	Χ		Present		Present	Χ	Present	Х	Х
Mineral Oil	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

Revision Date: 01-Jan-2015

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemica	I Name	New Jersey	Massachusetts	Pennsylvania
Dimethy 115-1		X	X	X
1,1 difluor 75-3	oethane 7-6	X	X	

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth Hazards
1Flammability
3Physical Hazards
0Personal Protection
B

Issue Date:01-Sep-2012Revision Date:01-Jan-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet