

# **Safety Data Sheet**

Issue Date: 12-Jul-2016 Revision Date: 04-Aug-2016 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Slide Mold Cleaner 4

Other means of identification

**SDS** # 46910C

Product Code 46910

Synonyms Mixture, heptane
Mold Cleaner
UN/ID No UN1950

**Other Information** Formula: 60224

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold cleaner

Uses Advised Against
Use only under manufacturer's instructions

Details of the supplier of the safety data sheet

Initial Supplier Address

THIS SAFETY DATA SHEET
IS NOT COMPLIANT UNLESS
CANADIAN ADDRESS IS USED
Contact Local Canadian Distributor

For Compliant SDS

**Manufacturer Address** 

Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

#### **Emergency Telephone Number**

Initial supplier phone number Emergency Telephone (24 hr) Please enter Initial Suppliers Phone Number here INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid in an aerosol Physical state Aerosol. Odour Not determined

# Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1
Gases under pressure	Compressed Gas

#### **Label Elements**

### Signal word

Danger

EN / HGHS Page 1/9

#### **Hazard statements**

Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation. May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Extremely flammable aerosol
Contains gas under pressure; may explode if heated



# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust, fume, gas/mist, vapours or spray
Use only outdoors or in a well-ventilated area
Wear protective gloves, protective clothing, eye protection and face protection
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Do not spray on an open flame or other ignition source
Pressurized container: Do not pierce or burn, even after use

#### <u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center, doctor or physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 ℃/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents and container to an approved waste disposal plant

#### Other Information

Very toxic to aquatic life with long lasting effects

\_\_\_\_

EN / HGHS Page 2/9

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Substance</u>

Synonyms Mixture, heptane Mold Cleaner.

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Propane	68476-86-8	34	-	-
Isopropyl Alcohol	67-63-0	33	-	-
Heptane	142-82-5	33	-	-

# 4. FIRST AID MEASURES

**First Aid Measures** 

**General advice** If exposed or concerned: Get medical advice/attention.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

Skin contact Wash off immediately with soap and plenty of water. Remove contaminated clothing and

shoes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical

Revision Date: 04-Aug-2016

advice/attention.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen.

**Ingestion** Do NOT induce vomiting. Call a doctor immediately. Drink plenty of water or milk

immediately.

Most important symptoms and effects

Symptoms Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and

aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Skin contact can lead to drying, defatting, itching, stinging and irritation. MAY CAUSE ALLERGIC SKIN REACTION. Exposed individuals may experience eye tearing,

redness and discomfort.

Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO2). Foam. Dry chemical. Water spray (fog).

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Extremely flammable. Aerosol flame projection test: >18" extension at 70 F. Aerosols may rupture violently at temperatures above 120 F. Vapours may form explosive mixture with

air.

Hazardous Combustion Products Carbon oxides.

EN / HGHS Page 3/9

#### **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision Date: 04-Aug-2016

gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for containment**Remove leaking container to outside disposal site.

**Methods for cleaning up** Keep in suitable, closed containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protection recommended in Section 8. Wash face,

hands and any exposed skin thoroughly after handling. Avoid breathing

dust/fume/gas/mist/vapours/spray. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray near open flame. Pressurized container: Do not pierce or burn, even after use. Do not drop containers.

Remove all sources of ignition.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from direct sunlight. Do not store at temperatures above 120°F. Keep away from

heat.

Incompatible Materials None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Isopropyl Alcohol 67-63-0	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m³ STEL: 500 ppm STEL: 1230 mg/m³

EN / HGHS Page 4/9

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Heptane 142-82-5	TWA: 400 ppm TWA: 1640 mg/m <sup>3</sup>	TWA: 400 ppm STEL: 500 ppm	TWA: 400 ppm STEL: 500 ppm	TWA: 400 ppm TWA: 1640 mg/m <sup>3</sup>
	STEL: 500 ppm STEL: 2050 mg/m <sup>3</sup>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		STEL: 500 ppm STEL: 2050 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering controls**Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses should always be worn in an industrial operation.

**Hand protection** Protective gloves are not required, but recommended.

**Skin and body protection**No special protective equipment required.

Respiratory protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Aerosol

**Appearance** Clear liquid in an aerosol

**Colour** Clear

Odour Not determined Odour Threshold Not determined

Property Values Remarks • Method

pH Not determined
Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
Faster than ether
Not determined
Faster than ether

Flammability Limits in Air

Upper Flammability Limits 7.5 Lower Flammability Limit 1.2

Vapour Pressure 137 mmHg @ 20 C

Vapour Density Heavier than air Relative Density 0.6587

Water Solubility Insoluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive properties** Not determined. **Oxidising properties** Not determined.

EN / HGHS Page 5/9

Other Information

Softening Point No information available Molecular weight No information available

VOC Content (%) 100%

DensityNo information availableBulk DensityNo information available

# 10. STABILITY AND REACTIVITY

**Reactivity** Not reactive under normal conditions.

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to Avoid Do not puncture or incinerate cans. Avoid temperatures above 120°F.

Incompatible Materials None known based on information supplied.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Eye contact** Causes severe eye irritation.

**Skin contact** Causes skin irritation.

**Inhalation** Do not inhale.

**Ingestion** May be harmful if swallowed.

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 5,667.00

 ATEmix (dermal)
 5,227.00

 ATEmix (inhalation-dust/mist)
 129.00

Unknown acute toxicity No information available

#### **Component Information**

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Heptane 142-82-5	-	= 3000 mg/kg ( Rabbit )	= 103 g/m <sup>3</sup> (Rat) 4 h

EN / HGHS Page 6/9

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Revision Date: 04-Aug-2016

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0	-	Group 3		Х

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

**Aspiration hazard** May be harmful if swallowed and enters airways.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	140000: 96 h Lepomis macrochirus µg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50
Heptane	-	375.0: 96 h Cichlid fish mg/L		10: 24 h Daphnia magna
142-82-5		LC50		mg/L EC50

Persistence/Degradability No information available.

**Bioaccumulation** No information available.

Mobility .

Chemical Name	Partition Coefficient
Propane	2.8
68476-86-8	
Isopropyl Alcohol	0.05
67-63-0	
Heptane	4.66
142-82-5	

Other Adverse Effects No information available.

# 13. DISPOSAL CONSIDERATIONS

### **Waste Treatment Methods**

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers

should be taken to an approved waste handling site for recycling or disposal.

EN / HGHS Page 7/9

# 14. TRANSPORT INFORMATION

**Note**Based on package size, product may be eligible for limited quantity exception

<u>TDG</u>

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

**DOT** (each not exceeding 1 L capacity)

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

**IATA** 

UN/ID No UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

**IMDG** 

UN/ID No UN1950 Proper Shipping Name Aerosols

Marine Pollutant This material may meet the definition of a marine pollutant

# 15. REGULATORY INFORMATION

# **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

#### **International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Propane	X	X	X		Х	Present	Х	X
Heptane	Х	X	Х	Present	Х	Present	X	Х
Isopropyl Alcohol	Χ	X	X	Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

EN / HGHS Page 8/9

Ç .

Revision Date: 04-Aug-2016

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA **Health Hazards Flammability Special Hazards** Instability Not determined Not determined Not determined Not determined **Health Hazards Flammability Physical hazards Personal Protection HMIS** 4 В

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

**Issue Date:** 12-Jul-2016 **Revision Date:** 04-Aug-2016

**Revision Note:** No information available.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

EN / HGHS Page 9/9