

# TECHNICAL DATA SHEET



## Epoxease Mold Release Aerosol

40614

### Product Description

EpoxEase is a synthetic wax-based, non-silicone release. It is formulated to prevent the sticking commonly seen when using all-purpose release agents on epoxies, maximizing your productivity. Ideal for use on epoxy, polyester and phenolic resins and most often utilized in encapsulating and potting applications.

### Applications

Mold Release

### Shelf Life

Three years from Date of Manufacture (as found on the bottom of each can and shipping box)

### Unit Package Description

16 ounce aerosol

### Generic Description

Mold Release for Epoxy Resins

### Net Weight Fill

14 net ounces

### UPC Code

858799000066

### Appearance

Light-brown Oily Wax

### Odor

Petroleum like

### Flash Point F

Not Applicable

### Flash Point C

Not Applicable

### Base Type

Wax

### Evaporation Rate

Fast

### HMIS Rating

2, 3, 0, B

### DOT Proper Shipping Name

UN 1950, Aerosols, Flammable, 2.1, Limited Quantity

### VOC % (Federal)

92.58

### VOC g/L (Federal)

986.68

### VOC lbs./Gal (Federal)

8.23

### Removal

Remove with organic or hydrocarbon solvents

### Units Per Case

12

### Case Weight (lbs)

15

### Working Temperature F

32 to 450 degrees

### Working Temperature C

0 to 232 degrees

### Propellant

Propane

### NFPA Aerosol Flammability Level

1